WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick NWSE NE 1/4 11 Т 27 s 2E E/W 1/4 1/4 R Distance and direction from nearest town or city street address of well if located within city? 1909 N. Wooddale Wichita, Kansas **NIES CONSTRUCTION** WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 10333 E. 21st N. STE #303 Wichita, Kansas CITY, STATE: ZIP CODE Application Number: 70 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: ft. **ELEVATION:** Depth of groundwater Encountered: ft. ft. ft. WELL'S STATIC WATER LEVEL 48 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 1/30/17 Well water was Pump test data: ft. after hours of pumping @ apm NW Est. Yield: apm Well water was ft. after hours of pumping @ gpm ≊ Bore Hole Diameter 12 and ft WELL WATER TO BE USED AS: 11. Injection well Dewatering 5. Public water supply 7. Lawn and garden only - SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 2. Irrigation (NO) ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (YES) submitted Was Water Well Disinfected? NO 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: C Glued Threaded 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1. Steel Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS 5 Blank casing diameter 40 Dia. in. to in. ft.. Dia. in. to ft. 12 2.35 Casing height above land surface: Weight: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 1. Steel 8. RMP (SR) 6. Concrete Tile 12. None used (open hole) 2. Brass 4. Galvanized Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 9. Drilled holes 3. Mill slot 5. Gauzed wrapped 7. Torch cut 11. None (open hole) 1. Continuous slot 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 40 From ft., From to ft. ft. to ft., From ft. to ft 24 ft **GRAVEL PACK INTERVALS:** to 70 From ft., From ft. to ft From ft. to ft.. From ft. **GROUT MATERIALS:** Other 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From ft. 24 ft., From ft. to ft., From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 15. Oil well/Gas well 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line How many feet? 10 ft. plus Direction from well? LITHOLOGIC LOG From. Τо From Τо LITHOLOGIC LOG 3 topsoil 8 3 clay R 70 grey shale Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 1/30/17 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/6/17 under the business name of Harp Well and Pump Service by (signature) Todd S. Harb