

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

Blank box for application number

1 LOCATION OF WATER WELL: County: Sedgwick, Fraction 1/4 SW 1/4 SW 1/4 NE 1/4, Section Number 36, Township No. T 27 S, Range Number R 2 E W. Street/Rural Address of Well Location: 15310 Weeping Willow Court. Wichita KS 67230. 2 WATER WELL OWNER: Cherrywood Construction Inc, RR#, Street Address, Box #: 9415 E Harry St # 305 Wichita, K, City, State, ZIP Code : Wichita, KS 67207. Global Positioning System (GPS) information: Latitude, Longitude, Elevation, Datum, Collection Method.

3 LOCATE WELL WITH AN "X" IN SECTION BOX: Diagram showing a 2x2 grid with 'X' in the NE quadrant. 4 DEPTH OF COMPLETED WELL 58' ft. Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL.....ft. below land surface measured on mo/day/yr..... Pump test data: Well water was.....ft. after..... hours pumping..... gpm EST. YIELD.....gpm. Well water was.....ft. after..... hours pumping..... gpm Bore Hole Diameter 10.....in. toft., andin. toft. WELL WATER TO BE USED AS: Public water supply, Geothermal, Injection well, Domestic, Feedlot, Oil field water supply, Dewatering, Other (Specify below), Irrigation, Industrial, Domestic-lawn & garden, Monitoring well. Was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mo/day/yr sample was submitted..... Water well disinfected? Yes No.

5 TYPE OF CASING USED: Steel, PVC, Other. CASING JOINTS: Glued, Clamped, Welded, Threaded. Casing diameter 5"..... in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12"..... in., Weight 160.....lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel, Stainless Steel, PVC, Brass, Galvanized Steel, None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: Continuous slot, Mill slot, Gauze wrapped, Torch cut, Drilled holes, None (open hole), Louvered shutter, Key punched, Wire wrapped, Saw cut, Other (specify). SCREEN-PERFORATED INTERVALS: From 38'..... ft. to 58'..... ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20'..... ft. to 58'..... ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement, Cement grout, Bentonite, Other. Grout Intervals: From 3'..... ft. to 20'..... ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank, Lateral lines, Pit privy, Livestock pens, Insecticide storage, Other (specify below), Sewer lines, Cesspool, Sewage lagoon, Fuel storage, Abandoned water well, Watertight sewer lines, Seepage pit, Feedyard, Fertilizer storage, Oil well/gas well. Direction from well West..... Distance from well 34'.....

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0' to 3' Top Soil, 3' to 21' Clay, 21' to 25' Limestone, 25' to 58' Shaley Lime.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 5/18/17..... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 493..... This Water Well Record was completed on (mo/day/year) 5/31/17..... under the business name of Reiserer Well Drilling..... by (signature) Jerry Reiserer.....

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.