WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER NWSedgwick NE 1/4 1/4 SE 1/4 8 Т 27 s R 2E E/W Distance and direction from nearest town or city street address of well if located within city? 9020 E. Summerfield Wichita, Kansas ETEZAZI, Amir WATER WELL OWNER: Board of Agriculture, Division of Water Resource 9020 E. Summerfield RR#,ST. ADDRESS,BOX #: ZIP CODE: 67206 Wichita, Kansas CITY, STATE: Application Number: 95 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL: **ELEVATION:** ft. Depth of groundwater Encountered: ft. ft. WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 10/13/17 Pump test data: Well water was ft. after hours of pumping @ NW NE Est. Yield: apm Well water was ft. after hours of pumping @ gpm ø ≅ ∨ Bore Hole Diameter 12 and ft WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 12. Other (Specify below) 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was sample (NO) Was a chemical/bacteriological sample submitted to Department? submitted Was Water Well Disinfected? (YES) NO 5 TYPE OF CASING USED: CASING JOINTS: Glued Threaded 9. Other (Specify below) 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 4. ABS 2. PVC 5 45 Dia. ft., Dia. Blank casing diameter in. to ft.. in. to in. to ft 12 Weight: 2.35 Casing height above land surface: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 1 Steel 8. RMP (SR) 12. None used (open hole) 2. Brass 4. Galvanized 6. Concrete Tile 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE 9. Drilled holes 11. None (open hole) 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 2. Louvered shutter 6. Wire wrapped 8. Saw cut 10. Other (specify) 4. Key punched SCREEN - PERFORATION INTERVAL 45 95 From to ft. From ft ft. From to ft., From ft. to ft. 24 **GRAVEL PACK INTERVALS:** ft. to 95 From ft., From ft. to ft. From ft ft., to From ft. Other **GROUT MATERIALS**: 6 2. Cement Grout 3. Bentonite bentonite hole plug 1. Neat cement Grout Intervals: 4 ft. 24 ft. From From ft. ft.. From ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed vard 12. Fertilizer storage 6. Seepage pit 3 Watertight sewer line West How many feet? 10 ft. plus Direction from well? LITHOLOGIC LOG From LITHOLOGIC LOG From Τо Тο 0 3 topsoil 3 12 clay 12 40 brown shale 40 80 gray shale 80 95 limestone Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed under my jurisdiction and 3. was completed on (mo/day/year) 10/13/17

was completed on (mo/day/year) 10/13/17 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/16/17

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp