WATER WELL R		orm WWC-5		Division of Wate	er			
Original Record		Change in Well Use		Resources App. 1		Well ID		
1 LOCATION OF WATER WELL: Fraction				Section Number Township Number Range Number				
County: SEDGWICK NE 1/4 SW 1/4 SW 1/4 SE 1/4					34 T 27 S R 2 ■ E □ W			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address: Address: 8550 NW PARALLEL ROAD City: TOWANDA State: KS ZIP: 67144 2261 S TARA FALLS CT WICHITA, KS 67207								
3 LOCATE WELL	T		× 100	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_	4-10-12-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
WITH "X" IN	4 DEPTH OF COMPLETED WELL:199							
SECTION BOX:	Depth(s) Groundwater Encountered: 1)					(decimal degrees)		
N	WELL'S STATIC WATER LEVEL:36							
	below land surface, measured on (mo-day-yr). 12/19/2017 GPS (unit make/model:							
NW NE	above land	surface, measured on (mo-	-day-yr)		(WAAS enabled? ☐ Yes ☐ No)			
		Well water was			☐ Land Survey ☐ Topographic Map			
W E	after	hours pumping 66	gpm		☐ Online Mapper:			
SW SE	Well water was66 ft. after 2 hours pumping20 gpm							
	Estimated Yield:20gpm			6 Eleva	6 Elevation:ft. Ground Level TOC			
S	Estimated Yield:20gpm Bore Hole Diameter:10.5in. to100ft. and				Source:			
1 mile		in. to	ft.		☐ Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		blic Water Supply: well I				lease		
☐ Household ■ Lawn & Garden	,							
Livestock	= •				12. Geothermal: how many bores?			
2. Irrigation					a) Closed Loop			
3. Feedlot		r Sparge 🔲 Soil Va				Discharge		
4. Industrial	☐ Re	covery	on	13. 🗆 O	ther (specify):	•••••		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter 5 in. to 100 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 14 in. Weight lbs./ft. Wall thickness or gauge No. SDR-26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .50								
GRAVEL PACK INTERVALS: From 31 ft. to 100 ft., From ft. to ft. to ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Sewer Lines	☐ Late	ral Lines Pit Pri	vy ge Lagoon	☐ Livestock Pe		ticide Storage doned Water Well		
Watertight Sewer Lin			ge Lagoon ard	Fertilizer Storage		ell/Gas Well		
Other (Specify)								
Direction from well? EAST Distance from well? 36 ft.								
10 FROM TO	······	HOLOGIC LOG	FROI	M TO	LITHO. LOG (cont.)	or PLUGGING INTERVALS		
	OP SOIL							
	LAY							
	IMESTONE							
	RAY SHALE	K/GRAY SHALE MIX				41.000.000		
34 100 6	TOUN RUCI	VORALI SHALE MIX						
			Notes	<u></u>				
1.0000								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .12/19/2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .1/8/2018								
under the business name of WENINGER DRILLING LLC Signature TRAVIS CUTLER								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
		Kansas 66612-1367. Mail or						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								