	WATER WELL	RECORD F	orm vv vv	C-5 K	SA 828-121				
1 LOCATION OF WATER WELL:	FRACTION	-	SECTI	ION NUMBER	1		RANGE NU		
Sedgwick	SE 1/4 NV	17 1	1/4	3	T 2'	7 S	R 2E	E/W	
Distance and direction from nearest town or city street address of well if located within city?									
2738 Eagle	Wichita, Kansas	ON		•					
2 WATER WELL OWNER: ROBL CONSTRUCTION RR#.ST. ADDRESS.BOX #: 5842 W. 21st N. Board of Agriculture, Division of Water Resource									
**** ****									
100									
WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED	J WLLL.	•		ELEVATION:		***	n	
Depth of groundwater Encountered: tt. π.									
	ELL'S STATIC WATER L			W LAND SU					
NW NE Pump test data: Well water was ft. after hours of pumping @							gpm		
₩ W E B	-	om Well wat 12 in.		00 "	ft. after		of pumping @	gpm	
	ore Hole Diameter		to 1	00 ft.	and	in.	to	ft.	
	WELL WATER TO BE USED AS: 9. Dewatering 11. Injection well 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)								
	1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well								
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample									
submitted Was Water Well Disinfected? YES NO									
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	below) CAS	ING JOINTS: (Glued	Threaded	
1. Steel 3. RPM (SF	₹)	-	s SDF	R-26			Welded	Clamped	
2. PVC 4. ABS	6. Asbestos-Cem								
Blank casing diameter 5	in. to 50	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above land surface: 12 in., Weight: 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel	Fiberglass	7. PVC	9. A			her (specify)			
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 4.11. None (open hole)									
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)									
	_		100	ft.,	From	4	4-	4	
SCREEN - PERFORATION INTERVAL				-		ft.	to	ft.	
	From	ft. to		ft.,	From -	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From 2			ft.,	From	ft.	to	ft.	
	From	ft. to)	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat	cement 2.	Cement Grout	3	. Bentonite		Other bent	onite hole plu	ug	
Grout Intervals: From ft. to ft., From ft. to ft., From 4 ft. to 24 ft.								24 ft.	
What is the nearest source of possible co	7 Dit o	rivv 1	0. Livestoci	k pens	13 Insect	cide storage	15. Oil well/G	Sas well	
1. Septic tank 4. Latera	o Cour	,		•		•			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)									
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage South How many feet? 10 ft. plus									
Direction from well? South	LITHOLOGIC LC	OG.	From	То	How ma		OGIC LOG		
	LITHOLOGIC LC		From	10		LITHOLU	JOIO LOG		
0 3 topsoil 3 30 clay							-100-1-2-10-1		
30 75 brown shale									
75 95 grey shale									
95 100 limestone									
				 				V	
			-						
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 3/13/2018 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/14/18									
under the business name of Harp	Well and Pump S	ervice	by (si	gnature)	\mathcal{T}	odd S	. Harp)	