	WATER WELL	RECORD I	Form WW	/C-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:			SECT			NUMBER RANGE NUMBER		
8		1/4	11	T 27 S		R 2E E/W		
Distance and direction from nearest town or city								
13905 E. Steeple Chase Ct		, Kansas			, , 			
	H HOMEBUILD	ERS INC.				Board of Agric	culture, Division of W	later Resource
	6 N. Lakecrest			6	7205	-		ater resource
	hita, Kansas			P CODE: 6		Application Num	ber:	
3 LOCATE WELL'S LOCATION 4 WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETE	D WELL: 8	80 ft.		ELEVATION:			
N De	epth of groundwater Enco	ountered:	ft.			ft.	1/30)/18 ft.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	VELL'S STATIC WATER	LEVEL 42	FT. BELO	W LAND SU	JRFACE MEASU	RED ON mo/d	ay/yr:	
	Pump tes	st data: Well wa	ater was		ft. after	hours	of pumping @	gpm
	Est. Yield: g	ıpm Well w	ater was		ft. after	hours	of pumping @	gpm
W E I	Bore Hole Diameter	12 in.	to 8	8 0 ft.	. and	in.	to	ft.
1 1 . 1	VELL WATER TO BE US					9. Dewaterin	ng 11. Injed	tion well
	1. Domestic 3. Feed				and garden only		12. Other (Sp	ecify below)
	2. Irrigation 4. Indus		water supply			10. Monitorin	g well vhat mo/day/yr w	as samnia
_	Was a chemical/bacteriologic ubmitted	al sample submitted to	Department?	YES Was V	NO Water Well Disinf			10
5 TYPE OF CASING USED:			0.00					Threaded
1. Steel 3. RPM (S	5. Wrought Iron	7. Fiberglass	-	ther (Specify	/ below) CAS	ING JOINTS: (Welded	Clamped
2. PVC 4. ABS	6. Asbestos-Cerr	ent 8. Concrete	tile SDI	R-26			Weided	Clamped
Blank casing diameter 5	in. to 40	ft., Dia.	in.	to	ft.,	Dia. i	n. to	ft.
	12 in	,	2.35 II	os. / ft.				
Casing height above land surface:		Weight:	2.33 K	DS. / II.	wan un	ckness or gaug	e No214	
TYPE OF SCREEN OR PERFORATIO 1. Steel 3. Stainless Steel	5. Fiberglass	7. PVC	9. A	BS	11. Oth	ner (specify)		
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)		sbestos-Cer		ne used (open l	hole)	
		O. MAIN (OIV)	10. 7	3063103-061	12.110	ne asea (open i	noic)	
SCREEN OR PERFORATION OPENIN					0. 8.44		44 None (-	
1. Continuous slot 3. Mill s	slot 5. Gauze	ed wrapped	7. 10	rch cut	9. Drill	ed holes	11. None (o	pen note;
2. Louvered shutter 4. Key j	punched 6. Wire v	wrapped	8. Sa	w cut	10. Othe	er (specify)		
SCREEN - PERFORATION INTERVAL	From 4	0 ft. t	o 80	ft.,	From 2	4 ft.	to	ft.
	From	ft. t	0	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:		4 ft.	to 80	ft.,	From	ft.	to	
GRAVEET AGRITUTERVALS.	1 10111							ft.
	From	ft	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Near		Cement Grout	3	3. Bentonite	•	Other bent	onite hole plu	ιg
Grout Intervals: From 4		ft., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible of	7 Dit :	orivy	10. Livestoc	k pens	13. Insecti	cide storage	15. Oil well/G	ias well
1. Septic tank 4. Later	2	age lagoon	11. Fuel sto	rage		on water well	16. Other (sp	
2. Sewer lines 5. Cess		•		_	14. Aband	on water well		• ,
3. Watertight sewer line 6. Seep	age pit 9. Fee	a yard	12. Fertilize	rstorage	Have me	ny feet? 10 f	t plus	
	LITHOLOGIC LO	<u> </u>	From	То	Tow ma	LITHOLO		
From To	LITHOLOGIC LO	<u></u>	From	То		LITHOLO	GIC LOG	
0 3 topsoil				 	 			
3 8 clay 8 35 brown shale				 				
35 75 gray shale				 	T			***************************************
75 80 limestone	N			<u> </u>				
							,	
			<u> </u>					
ļ			_	1				
			-	 	 			
				 	<u> </u>			
			+					
				 	<u> </u>			
7					L	nlummed		inn and
Contractor's or Landowner's Certi		was 1. constructe	2. re	constructe	d or 3.	plugged	under my jurisdict	ion and
was completed on (mo/day/year)	1/30/18	and this record	d is true to the	e best of my	knowledge and l	pelief.		
Kansas Water Well Contractor's Lice	ense No. 236	This water v	vell record wa	as completed	d on (mo/day/yea	r) 2 /1	l/ 18	
		Service	hv (si	gnature)	~	2 5 5	11 ~ . s	
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp								