


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: **Sedgwick** FRACTION **SE 1/4 NW 1/4 NE 1/4** SECTION NUMBER **3** TOWNSHIP NUMBER **T 27 S** RANGE NUMBER **R 2E E/W**

Distance and direction from nearest town or city street address of well if located within city?  
**2734 N. Eagle Wichita, Kansas**

2 WATER WELL OWNER: **GRAY, Paul Homes LLC** Board of Agriculture, Division of Water Resource  
 RR#.ST. ADDRESS.BOX #: **P.O. Box 780725**  
 CITY, STATE: **Wichita, Kansas** ZIP CODE: **67278** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: **100** ft. ELEVATION:  
 Depth of groundwater Encountered: ft. ft. ft.  
 WELL'S STATIC WATER LEVEL **48** FT. BELOW LAND SURFACE MEASURED ON **mo/day/yr: 3/14/18**  
 Pump test data: Well water was ft. after hours of pumping @ gpm  
 Est. Yield: gpm Well water was ft. after hours of pumping @ gpm  
 Bore Hole Diameter **12** in. to **100** ft. and in. to ft.  
 WELL WATER TO BE USED AS:  
 1. Domestic 3. Feedlot 5. Public water supply **7. Lawn and garden only** 9. Dewatering 11. Injection well  
 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 12. Other (Specify below)  
 Was a chemical/bacteriological sample submitted to Department? YES **NO** ; If yes, what mo/day/yr was sample submitted  
 Was Water Well Disinfected? **YES** NO

5 TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: **Glued** Threaded  
**2. PVC** 4. ABS 6. Asbestos-Cement 8. Concrete tile **SDR-26** Welded Clamped  
 Blank casing diameter **5** in. to **50** ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: **12** in., Weight: **2.35** lbs. / ft. Wall thickness or gauge No. **.214**  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1. Steel 3. Stainless Steel 5. Fiberglass **7. PVC** 9. ABS 11. Other (specify)  
 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)  
 2. Louvered shutter 4. Key punched 6. Wire wrapped **8. Saw cut** 10. Other (specify)  
 SCREEN - PERFORATION INTERVAL From **50** ft. to **100** ft., From ft. to ft. ft.  
 GRAVEL PACK INTERVALS: From **24** ft. to **100** ft., From ft. to ft. ft.

6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other **bentonite hole plug**  
 Grout Intervals: From ft. to ft., From ft. to ft., From **4** ft. to **24** ft. ft.  
 What is the nearest source of possible contamination:  
 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well  
 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)  
**3. Watertight sewer line** 6. Seepage pit 9. Feed yard 12. Fertilizer storage **None**  
 Direction from well? **North** How many feet? **10 ft. plus**

From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG
0	3	topsoil			
3	30	clay			
30	75	brown shale			
75	95	gray shale			
95	100	limestone			

7 Contractor's or Landowner's Certification: This water well was 1. **constructed** 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) **3/14/2018** and this record is true to the best of my knowledge and belief.  
 Kansas Water Well Contractor's License No. **236** This water well record was completed on (mo/day/year) **3/16/18**  
 under the business name of **Harp Well and Pump Service** by (signature) **Todd S. Harp**