KOLAR Document ID: 1412876

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		ources App.]			Well ID			
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 0						
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
Address:	Gi Gi						needon non nearest town of intersection). If at owner's address, check here.					
Address:												
City:		1	State:	ZIP:								
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL: .	f	5 Latit	ude [.]			(decimal degrees)		
	WITH "X" IN SECTION BOX:											
	SECTION BOX: 2) ft. 3) ft., or 4) \Box							WGS 84 🗌 NAI		NAD 27		
	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:					
			·yr)		GPS (unit make/model:)							
NW	NE	Pump test d		yr) t			WAAS enabled? \Box		io)			
w	Е		hours				Survey 🔲 Topogra					
			Well v			Online Mapper:						
SW	SE	after	hours	gpm								
		Estimated Y			6 Elevation:ft. Ground Level TOC							
	S	Bore Hole I			Source: Land Survey GPS Topographic Map Other							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
	□ Household											
	Lawn & Garden 7. Aquifer Recharge: well						\Box Cased \Box Uncased \Box Geotechnical					
Livesto	Livestock 8. Monitoring: well ID							al: how many bores				
	. Irrigation 9. Environmental Remediation: well ID .						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
	3. 🗌 Feedlot 🔅 Air Sparge 🔅 Soil Vapor I					b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Stainless Steel Fiberglass PVC Other (Specify)												
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic '			Lateral Line	es 🗌 Pit Privy		Livestock P	ens	Insection	cide Storage			
Sewer]			Cess Pool	Sewage La		Fuel Storage			oned Water	Well		
	ight Sewer Li		Seepage Pit			Fertilizer St	orage	🗌 Oil We	ll/Gas Well			
				Distance from w				¢.				
10 FROM	TO TO		ITHOLO	Distance from w	FROM	ТО		<u>π.</u> HO. LOG (cont.) or		C INTEDVALS		
IV PROM	10	1			TROM	10			LUUUIN	S INTERVALS		
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged												
Under my Ju Kansas Wa	urisdiction ai	u was compl	eted on (n	no-day-year) 	and ater Well Ro	unis record	18 tru	ted on (mo day w	y knowled;	ge and belief.		
				····· 11115 W 2								
		Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 fo	or each constructed we	211.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												
Visit us at h	ittp://www.kdhe	ks.gov/waterwel	1/index.html						K	SA 82a-1212		