KOLAR Document ID: 1419869

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		sources App.			Well ID		
1 LOCATION OF WATER WELL: Fraction					1			Township Numb		nge Number	
County: 1/4 1/4 1/4											
	OWNER: L	ast Name:		First:		treet or Rural Address where well is located (if unknown, distance and					
Business: Address:					direction from	irection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH (SY) IN 4 DEPTH OF COMPLETED WELL:						t 5 Lotit	ndo			(1	
	WITH "A" IN Depth(a) Groundwater Encountered: 1						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
			2) ft. 3) ft., or 4) 🗆 I					WGS 84 □ NAI		NAD 27	
		WELL'S ST	TATIC WA	ft.			Latitude/Longitude				
				-yr)	0	GPS (unit make/model:)					
NW	NE			-yr)			WAAS enabled?		10)		
		Pump test d	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
W r	E	anci	Well v								
SW	SE	after	after hours pumping gpi								
			Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Ma					
	mile			in. to	ft.			Other	•••••		
7 WELL WATER TO BE USED AS:											
1. Domestic ☐ House			 5. □ Public Water Supply: well ID 6. □ Dewatering: how many wells? 								
		7. Aquifer Recharge: well ID				□ Cased □ Uncased □ Geotechnical					
				g: well ID			12. Geothermal: how many bores?				
	2. I Irrigation 9. Environmental Remediation: well						a) Closed Loop 🔲 Horizontal 🗌 Vertical				
4. 🗌 Industr	rial		Recovery	□ Injection		13. 🗆 C)ther ((specify):			
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel Fiberglass PVC Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft.											
Septic			Lateral Line	es 🗌 Pit Privy	Г	Livestock P	ens	🗆 Insectio	ide Storage		
			Cess Pool	Sewage La		Fuel Storage			oned Water		
	ight Sewer Lii		Seepage Pit			Fertilizer St			ll/Gas Well		
□ Other (Specify)											
			Distance from w						a		
10 FROM	TO		ITHOLOG	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
under my j	urisdiction an	nd was compl	leted on (n	no-day-year)	and	this record	is tru	te to the best of m	y knowled	ge and belief.	
				This W							
	aomeoo num	Send one copy to	WATER W	/ELL OWNER and retain	one for your re	cords. Fee of \$	5.00 f	or each <u>constructed</u> we	<u></u> 11.		
-	ment of Health a	nd Environment	, Bureau of V	Water, Geology Section, 1					7. Telephone		
Visit us at h	http://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212	