KOLAR Document ID: 1422421

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						on Number Township Number Range Number			ge Number		
County: 1/4 1/4 1/4					1⁄4						
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
	3 LOCATE WELL										
WITH "2	WITH "X" IN 4 DEPTH OF COMPLETED WELL: Depth(c) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX: N $(2) \dots ft. 3) \dots ft. or 4) \square 1$										
	WELL'S STATIC WATER LEVEL:					Sour	ce for	Latitude/Longitude:			
				-yr) -yr)			unit make/model:				
NW	NE	Pump test da			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	X _E	after				Mapper:					
SW	SE	after	ît.								
		Estimated Y		Spin		6 Elevation:ft. Ground Level TOC					
S		Bore Hole D			Sour	Source: Land Survey GPS Topographic Map Other					
1 m	DE LISED A		in. to	ft.							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
	☐ Household 6. ☐ Dewatering: how many wells?					11. Test Hole: well ID					
	□ Lawn & Garden 7. □ Aquifer Recharge: wel						Cased Uncased Geotechnical				
	□ Livestock 8. □ Monitoring: well ID □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical				
3. Feedlot							b) Open Loop \square Surface Discharge \square Inj. of Water				
4. Industrial Recovery Injection						13. 🗖 C	13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. or ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic 7	Fank		Lateral Line	es 🗌 Pit Privy		Livestock P	ens	☐ Insectic	ide Storage		
Sewer I			Cess Pool		goon	Fuel Storag			oned Water V	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	L	ITHOLOG	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	3 INTERVALS	
					Notes:	1	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wat	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)		
	5	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	55.00 fe	or each constructed we	11.		
-		nd Environment, s.gov/waterwel		Vater, Geology Section, 10	000 SW Jacksor	St., Suite 420), Tope	ka, Kansas 66612-136		e 785-296-3565. A 82a-1212	
visit us at n	пр.// www.капен	s.gov/waterwel	unuex.fitffil						L)	n 02a-1212	