WATER WELL F	PECORD For	m WWC-5	Divi	sion of Water				
Original Record		nange in Well Use		urces App. No.		Well ID		
1 LOCATION OF WATER WELL:		Fraction		Section Number Township Number Range Number				
County: SEDGWICK SE ¼ NW ¼ NE ¼ s				26 T 27 S R 2 ■ E □ W				
2 WELL OWNER: I	First:		Rural Address where well is located (if unknown, distance and					
Business: JBC INVI	ESTMENTS, INC.	-	direction from n	rection from nearest town or intersection): If at owner's address, check here:				
Address: PO BOX	780789	H GATEWA	GATEWAY, WICHITA, KS, 67230					
City: WICHITA		KS ZIP: 67278						
3 LOCATE WELL	4 DEPTH OF C	OMPLETED WELL:	80 ft	5 Latitud	a •	(decimal degrees)		
WITH "X" IN	Donth(s) Croundwater Engagement (1)							
SECTION BOX:	SECTION BOX: 2) ft. 3) ft., or 4)							
	ft.	ft. Source for Latitude/Longitude:						
	below land surface, measured on (mo-day-yr							
NW NE	above land surface, measured on (mo-day-yr			(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well water was ft. after hours pumping gr			☐ Land Survey ☐ Topographic Map				
W E	W W		☐ Online Mapper:					
SW SE	afterh							
	Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC				
_	S Bore Hole Diameter:10.5 in. to80			Source:				
1 mile in. to ft.								
		Water Cumples and ID		10 🗖 02 1	Field Weter Committee 1	anca		
1. Domestic: ☐ Household		: Water Supply: well ID				ease		
Lawn & Garden								
Livestock								
2. Irrigation 9. Environmental Remediation: well ID.			D	a) Closed Loop				
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ext				b) Open Loop Surface Discharge Inj. of Water				
4. Industrial	Recov	ery Injection		13. 🔲 Othe	er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter 5 in to 80 ft. Diameter in to ft. Diameter in to ft. Diameter in to 5. Casing height above land surface 13 in Weight lbs./ft. Wall thickness or gauge No. SDR-26.								
Casing height above land surface								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .40 ft. to .80 ft., From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Nearest source of possible contamination:								
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
■ Watertight Sewer Lines								
☐ Other (Specify) Direction from well? EAST Distance from well? 40 ft.								
10 FROM TO	1 ITHO	Distance from v	vell? .#.U	то	tt	- DLUCCINC INTERVALE		
0 1	TOP SOIL	LOGIC LOG	FROM	TO L	THO. LOG (cont.) o	r PLUGGING INTERVALS		
1 8	CLAY							
8 22	LIMESTONE		-					
22 75	GRAY SHALE							
75 80	GYP/GRAY SHAL	E MIX						
			Notes:					
	WELL ONLY							
TILLE ONE!								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .7/29/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .9/6/2018								
Kansas Water Well Co	Intractor's License N	O. 994 This W	ater Well Rec	ord was comp	oleted on (mo-day-y	ear) .9/0/2410		
under the business name of WENINGER DRILLING.L.C. Signature								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
			KSA 82a-12			Revised 7/10/2015		