WATER WELL R	ECORD	Form V	WWC-5	Div	ision of Water				
Original Record			e in Well Use		ources App. No		Well ID		
1 LOCATION OF WATER WELL:			Fraction	1	tion Number				
County: SEDGWICK			SE ¼ NW ¼ NE ½						
2 WELL OWNER: La Business: RAIN PLU Address:	First:	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Address: 3721 EAST KELLOGG					1214 SOUTH GATEWAY, WICHITA, KS, 67230				
City: WICHITA State: KS ZIP: 67218									
WITH "X" IN	IN 4 DEPTH OF COMPLETED WELL:								
SECTION BOX:	Depth(s) Groundwater Encountered: 1)								
N	2)						4 □ NAD 83 □ NAD 27		
	below land surface, measured on (mo-day-y								
NW NE									
I NW - I NE - I	Pump test data: Well water was				Land Survey Topographic Map				
W E					Online Mapper:				
SW SE	Well water was ft.								
		pumping	gpm	6 Elevati	ion· ft	□ Ground Level □ TOC			
S	Estimated Yi	iameter:	gpm 10.5 in to 80	ft and	6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
1 mile									
7 WELL WATER TO BE USED AS:									
1. Domestic:			ter Supply: well ID		10. 🔲 Oil	Field Water Supply: 16	ease		
Household	☐ Household 6. ☐ Dewatering: how many wells?				11. Test Hole: well ID				
■ Lawn & Garden 7. ☐ Aquifer Recharge: well ID									
	☐ Livestock 8. ☐ Monitoring: well ID				,				
3. ☐ Feedlot	2. ☐ Irrigation 9. Environmental Remediation: well ID 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor E								
4. Industrial	Soil Vapor ☐ Injection	Extraction	b) Open Loop						
		Recovery		V N-					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter 3 in to 80 ft Diameter in to ft Diameter in to ft									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
Louvered Shutter									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 3 ft. to 25 ft., From ft. to ft., From ft. to ft.									
Grout Intervals: From	3 ft. to	25	. ft., From	ft. to	ft From	ft to	ft.		
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
■ Watertight Sewer Lines									
Direction from well? NORTH EAST Distance from well? .60 ft.									
10 FROM TO	L	THOLOG	IC LOG	FROM	TO L	LITHO. LOG (cont.) or	PLUGGING INTERVALS		
	FOP SOIL								
	CLAY								
	IMESTONE								
20 80 0	SRAY SHAL	E							
				1					
Notes:									
WELL ONLY									
11 CONTRACTORS OF LANDOWNERS CERTIFICATION TO									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day-year) .8/9/2018 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 9/6/2018									
under the business name of WENINGER DRILLING LLC. Signature									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
			66612-1367. Mail one to			e for your records. Teleph			
Visit us at http://www.kdheks	.gov/waterwell/in	dex.html		KSA 82a-12	12		Revised 7/10/2015		