## KOLAR Document ID: 1443127

WATER				WWC-5		vision of Wa			W-II ID			
	Original Record Correction Change in Well Use				Resources App. No. Section Number			Townshin Numh	Well ID	ao Numbor		
1 LOCATION OF WATER WELL: County:Fraction1/41/4						Section NumberTownship NumberRange NumberTSR $\Box$ E $\Box$ W						
						treet or Rural Address where well is located (if unknown, distance and						
						irection from nearest town or intersection): If at owner's address, check here:						
Address:												
Address:												
City:		Γ	State:	ZIP:								
<b>3 LOCATE WELL</b> WITH WY N <b>4 DEPTH OF COMPLETED WELL:</b>						ft. <b>5 Latitude</b> :(decimal degrees)						
WITH "X" IN SECTION BOX:				Encountered: 1)	ft.		Longitude:(decimal degrees)					
N	DOA.			Dry Well			WGS 84 🗌 NAE					
		WELL'S STATIC WATER LEVEL: ft.				Sour	ce for	Latitude/Longitude:				
			<ul> <li>below land surface, measured on (mo-day-yr)</li> <li>above land surface, measured on (mo-day-yr)</li> </ul>					unit make/model:				
NW	- NE	Pump test da					WAAS enabled? Survey  Topogra		<b>O</b> )			
w	E	-	hours				Mapper:					
			Well w			omme						
SW - <b>A</b>	SE		hours	gpm	6 Elevation:ft. Ground Level TOC							
		Estimated Yield:gpm			<b>C</b> 1							
S		Bore Hole Diameter: in. to										
	Image:											
1. Domestic:       5. Dublic Water Supply: well ID       10. Oil Field Water Supply: lease												
☐ Household												
🗌 Lawn &	Lawn & Garden 7. Aquifer Recharge: well ID											
	Livestock 8. Monitoring: well ID							al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID.											
Was a chemical/bacteriological sample submitted to KDHE? $\Box$ Yes $\Box$ No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight Ibs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS:       From												
Grout Intervals: From												
Nearest source				potential source of con								
Septic T			Lateral Line			Livestock P		Insectic	ide Storage			
Sewer L			Cess Pool	Sewage La		Fuel Storag			oned Water	Well		
	ht Sewer Lin		seepage Pit	☐ Feedyard		Fertilizer St	torage	🗌 Oil Wel	ll/Gas Well			
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	GINTERVALS		
	-	-	200	<del>V</del>								
							1					
μΤ												
┞─────┤					Notes:							
<b>├</b> ──── <b>├</b>					_							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged												
under my im	risdiction an	d was compl	eted on (m	o-day-year)	and	this record	⊔ co Lis tru	to the best of my	v knowled	be and belief		
Kansas Wate	er Well Con	tractor's Lice	ense No	no-day-year) 	ter Well Red	cord was co	omple	ted on (mo-day-ve	ear)			
under the bu	siness name	of										
KS Donortma				ELL OWNER and retain of Vater Geology Section 10						785_206 3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212												