## KOLAR Document ID: 1445662

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
				Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number         Township Number           1/4         T         S				ge Number		
county.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						······································					
Address:			<b>G</b>	700								
City: 3 LOCAT			State:	ZIP:								
WITH "		ft	5 Latit	tude:			(decimal degrees)					
	ON BOX:	ft.	Longitude:(decimal degrees)									
1	N 2) ft. 3) ft., or 4)							WGS 84 INAI		AD 27		
	below land surface, measured on (mo-day-y							Latitude/Longitude: unit make/model:		)		
NW				, measured on (mo-day-	yr)		(WAAS enabled? ☐ Yes ☐ No)					
				vater was f		Land Survey Topographic Map						
W	W E after			hours pumping gpm Well water was ft.			□ Online Mapper:					
SW SE after				hours pumping gpm								
			timated Yield:gpm				6 Elevation:ft.  Ground Level  TOC					
			Hole Diameter: in. to f			Source	Source:  Land Survey  GPS  Topographic Ma					
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease												
🗌 Lawn	Lawn & Garden 7. Aquifer Recharge: well ID							Uncased 0				
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
2. $\Box$ Irrigat				al Remediation: well II			a) Closed Loop 🔲 Horizontal 🗌 Vertical					
	3. □ Feedlot     □ Air Sparge     □ Soil Vapor Ex       4. □ Industrial     □ Recovery     □ Injection						b) Open Loop  Surface Discharge  Inj. of Water 13.  Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?       Yes       No       If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
				n ft. to								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
	rce of possible		on: No	potential source of con	tamination wi	11., From thin 200 ft	1		II.			
			Lateral Line			Livestock P	ens	☐ Insectic	ide Storage			
Sewer			Cess Pool	Sewage La		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
					Notes:	1	1					
				S CERTIFICATION								
under my j	urisdiction an	d was compl	eted on (n	no-day-year)	and	this record	is tru	te to the best of my	y knowledg	ge and belief.		
				This Wa								
	5	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												
Visit us at	ittp://www.kdhel	ks.gov/waterwel	1/1ndex.html						KS	A 82a-1212		