		WATER WI	ELL RECORI	D Forn	n WW	C-5 K	SA 82a-12	12		
1 LOCATION OF WATE	R WELL:	FRACTION			SECTI	ON NUMBER	TOWNSH	IP NUMBER	RANGE N	NUMBER
Sedgwick		NE 1/4	NW 1/4	SE 1/4	4	12	T 2	27 s	R 2	E E/W
Distance and direction fro	m nearest town or ci	ity street address of well	if located within city?	1						
1715 N. Terh	une	Wichita,	Kansas							
2 WATER WELL	OWNER: FA I	HSHOLTZ CO	INSTRUCTION	ON						
RR#,ST. ADDRESS	S,BOX #: P.O	D. Box 818						Board of Agri	culture, Division of	Water Resource
CITY,	STATE: And	dover, Kansas			ZIP	CODE: 67	7002	Application Num	nber:	
3 LOCATE WELL'S LO	OCATION 4	DEPTH OF COMP	LETED WELL:	116	ft.		ELEVATION:			
WITH AN "X" IN SE	CTION BOX:	_			ft.			ft.		ft.
		epth of groundwater		15					10/1	
	 '	WELL'S STATIC WA				V LAND SU		URED ON mo/d	•	19/18
NW NW	NE		•	Well water w			ft. after		of pumping @	gpm
w Mile	<u> </u>	Est. Yield:		Well water w			ft. after		of pumping @	gpm
_ \	X	Bore Hole Diameter			to 1 1	l6 ft.	and	in.	to	ft.
sw	SE - V	WELL WATER TO BI 1. Domestic 3.		ıblic water e	unnly S	7 Lawn a	nd garden on	9. Dewaterii	'9	ection well
				l field water				10. Monitorin		Specify below)
		 Irrigation 4. Was a chemical/bacter 				YES	NO		vhat mo/day/yr	was sample
S	.	submitted	lological sample subil	mileo lo Depai	unent:		/ater Well Disir		YES	NO .
5 TYPE OF CAS	SING USED:				0.046	er (Specify	halaw) CA	SING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR) 5. Wrought	iron 7. Fib	erglass			Delow) CA	31143 3011413.	Welded	Clamped
2. PVC	> 4. ABS	Asbestos	-Cement 8. Co	ncrete tile	SDR	26			Weided	Clamped
Blank casing diameter	er 5	in. to	50 ft., [Dia.	in.	to	ft.,	Dia.	in. to	ft.
Coolea balabt about	a land surface.	10								
Casing height above		,	Weig	ght: 2.3	3 109	s. / ft.	Wall t	hickness or gaug	je No214	}
TYPE OF SCREEN	OR PERFORATIONS. 3. Stainless Steel		7. PVC		9. AB	c	11 (ther (specify)		
1		5. Fiberglass				_			L ()	
2. Brass	4. Galvanized	6. Concrete T	ile 8. RMi	P (SR)	10. As	bestos-Cen	nent 12. N	one used (open	noie)	
SCREEN OR PERFO		NGS ARE:								
1. Continuous slo	t 3. Mill :	slot 5. G	Sauzed wrapped		7. Tore	ch cut	9. Dri	lled holes	11. None (open hole)
2. Louvered shutte	er 4. Key	punched 6. V	Vire wrapped		8. Saw	cut	10. Oti	ner (specify)		
SCREEN - PERFORA	ATION INTERVAL	F	50 ft.	4-	116		_			
JOCKEEN - FERFOR	AHONINIERVAL			to	116	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	24 ft.	to	116	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATER	IALS: 1 Nea	nt cement	2. Cement Gro			Bentonite		Other bent	onite hole pl	
Grout Intervals:		4 ft. to	24 ft.,	From			4	20110	-	· ·
What is the nearest s		• • • • • • • • • • • • • • • • • • • •	_	1 10111	ft.	to	ft.,	From	ft. to	ft.
1. Septic tank	4. Later	ral lines 7.	Pit privy	10. L i	ivestock	pens	13. Insec	ticide storage	15. Oil well/	Gas well
2. Sewer lines	5. Cess	Pool 8.	Sewage lagoon	11. F	uel stora	age	14. Aban	don water well	16. Other (s	pecify below)
3. Watertight sewe	er line 6 Seen	page pit 9.	Feed yard	12. F	ertilizer	storage				
Direction from well?	West	g- p	•				How m	nany feet? 10 f	t. plus	
From To		LITHOLOGIC	CLOG	TF	rom	To		LITHOLO		
0 3	topsoil							LITTIOLO	CIO LOC	
3 12	clav					·				
12 57	brown shale	9								
57 116	grey shale									
	•									
	 									
		·								
	 									
	 									
	 									
					1					
 	 			·						
	1									
7 Contractor's or	Landowner's Cert	ification: This water	well was 1. cons	structed	2. rec	onstructed	or 3.	plugged	under my jurisdic	ction and
was completed on	(mo/day/year)	12/19/18	and this	record is tru	e to the l	best of my k	nowledge and	belief.		
Kansas Water Wel	Contractorio Lica	anca No. 226				-	_		1/10	
				water well rec	win Mas	completed	on (mo/day/ye		21/18	
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp										
L									- , 5557	-