	WATER WI	ELL RECORD	Form WV	VC-5 K	(SA 82a-12	12		
1 LOCATION OF WATER WELL:	FRACTION			TION NUMBE	I .		RANGE NU	
Sedgwick	NE 1/4	SW 1/4 NE	1/4	3	T 2	<u>7 s</u>	R 2E	EW
Distance and direction from nearest	•	if located within city?						
2730 N. Eagle	Wichita, Kansas	CTION						
2 WATER WELL OWNER:	ROBL CONTRUC	CHON				Board of Agr	riculture, Division of W	ater Resource
RR#,ST. ADDRESS,BOX #: CITY, STATE:	5842 W. 21st N. Wichita, Kansas		71	P CODE:		Application Nur	mher	
		Market 1	20 ft.	P CODE.	ELEVATION:	Application No.		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BO	4 DEPTH OF PONE	ייין ייינו			LLEVATION.	ft.		ft.
N	Depth of groundwater		ft		IDEACE MEASI		dav/vr: 6/24	
	WELL'S STATIC WA			W LAND SI	JRFACE MEASL		oay/yr: 0/24 s of pumping @	gpn
NW	Est. Yield:		ater was ater was		ft. after ft. after		s of pumping @ s of pumping @	gpn
w Wile	Bore Hole Diameter	12 in.	to 1	120 ft		in.	to	ft.
-	WELL WATER COST	USED AS:				9. Dewateri	ing 11. Injec	tion well
swse	1. Domestic 3.	Feedlot 5. Public w	ater supply	7. Lawn	and garden only	\triangleright	12. Other (Sp	ecify below
			water supply	8. Air co		10. Monitori	•	os semale
S	Was a chemical/bacter submitted	iological sample submitted to	Department?	YES	NO Nater Well Disini		what mo/day/yr w	/as sample IO
TYPE OF CASING USE							Glued	
*	. RPM (SR) 5. Wrought	lron 7. Fiberglas	s 9. O	ther (Specif	y below) CAS	SING JOINTS:	Welded	Threaded Clamped
2. PVC	. ABS 6. Asbestos	-Cement 8. Concrete	tile				Weided	Ciamped
Blank casing diameter	5 in. to	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height Casing height and sur	face: 36 in.,	Weight:	ı	bs. / ft.	Wall th	ickness or gau	ae No.	
TYPE OF SCREEN OR PERF		orgin.		00.7 10.	· · · ·	ioooo or gaa	go o.	
1. Steel 3. Stainles	ss Steel 5. Fiberglass	7. PVC	9. A	BS	11. Ot	her (specify)		
2. Brass 4. Galvan	ized 6. Concrete Ti	ile 8. RMP (SR)	10. A	sbestos-Ce	ment 12. No	one used (open	hole)	
SCREEN OR PERFORATION	OPENINGS ARE:							
1. Continuous slot	3. Mill slot 5. G	auzed wrapped	7. To	rch cut	9. Drill	led holes	11. None (o	pen hole)
2. Louvered shutter	4. Key punched 6. V	Vire wrapped	8. S a	w cut	10. Oth	er (specify)		
CODECN DEDECRATION IN			·-		F			
SCREEN - PERFORATION IN			to	ft.,	From -	ft.	to	ft.
004451 0404445	From		to	ft.,	From -	ft.	to	ft.
GRAVEL PACK INTE	RVALS: From		to	ft.,	From	ft.	to	ft.
	From	ft.	to	ft.,	From	ft.	to	ft.
GROUT MATERIALS:	1. Neat cement	2. Cement Grout	;	3. Bentonite	•	Other bent	tonite hole plu	ıg
Grout Intervals: From	3 ft. to	24 ft., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of p 1. Septic tank	4. Lateral lines 7.	Pit privy	10. Livestoo	k pens	13. Insecti	icide storage	15. Oil well/G	as well
2. Sewer lines		Sewage lagoon	11. Fuel sto	rage	14 Aband	on water well	16. Other (sp	ecify below)
	c. 2005 (20 1	Feed yard	12. Fertilize	_		0		
Watertight sewer line Direction from well?	6. Seepage pit 9.	i ccu yaru	12. I GIUMEG	. Storage	How ma	any feet?		
From To	LITHOLOGIC	LOG	From	То	1.00 11.0	•	OGIC LOG	
	2.111020010		0	3	compacted		<u> </u>	
			3	24	bentonite h			
			24	120	chlorinated			
				ļ				
				 				
				<u> </u>				Ye
				1				
		 						
		· · · · · · · · · · · · · · · · · · ·	_					-
7				1		aluma : d	and a mark to the desire	ion ond
	er's Certification: This water			constructe	-	plugged	under my jurisdicti	ou and
was completed on (mo/day/	year) 6/24/19	and this recor	d is true to the	e best of my	knowledge and I	belief.		
Kansas Water Well Contrac	tor's License No. 236	This water	well record wa	as complete	d on (mo/day/yea	ar) 6/2	28/19	
under the business name of	Harp Well and Pun	np Service	by (si	ignature)	T	odd S	. Harp	ļ