		RECORD		WWC-5		ision of Water		*******		
	Correction			Resources App. No.		T	Well ID	and Museulan		
1 LOCATION OF WATER WELL:  County: Sedgwick				Fraction NW 1/4 NE 1/4 NE 1				ige Number ! ■ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if ur										
	Gray Ho			rnst.	direction from nearest town or intersection): If at owner's address, check here:					
Address: 1861 N Rock Rd. Suite 200					2985 N Woodridge Ct. Wichita KS, 67226					
Address: City: Wichita State: KS ZIP: 672					2000 ji woodhago ca waana ke, o ===					
3 LOCATE WELL										
WITH "				APLETED WELL: Encountered: 1)						
	ON BOX:			3) ft., or 4)						
	N			TER LEVEL:			r Latitude/Longitude		05 = 1015 27	
1	X			, measured on (mo-da		□GPS	(unit make/model:			
				, measured on (mo-day		1	(WAAS enabled?  Yes No)			
				s pumping			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
Well w			vater was							
sw	I	after hours pumping			6 Elevation:ft. ☐ Ground Level ☐ TOC					
	Bore Hole I	Estimated Yield:gpm Bore Hole Diameter:10" in. to110'			Source:   Land Survey   GPS   Topographic Map					
l .	S mile	Bore Hole I		in. to	ft.		Other			
7 WELL WATER TO BE USED AS:										
1. Domestic				ater Supply: well ID						
					now many wells?					
	☐ Livestock  Livestock  Livestock  Livestock  Livestock  Monitoring: well ID									
	2. ☐ Irrigation 9. Environmental Remediation: well II					a) Closed Loop				
					Extraction	b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:										
Water well disinfected? ☐ Yes ■ No  8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other										
Casing diameter 5" in. to 110' ft. Diameter in. to ft. Diameter in. to ft.										
Casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From70' ft. to ft., From ft. to										
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage										
■ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well         □ Watertight Sewer Lines       □ Seepage Pit       □ Feedyard       □ Fertilizer Storage       □ Oil Well/Gas Well										
Other (Specify)										
Direction from well? West Distance from well? 14' ft.  10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC NOT PLUGGING INTERVALS										
10 FROM 0'	TO 3'		LITHOLOG	GIC LOG	FROM	то ы	THO. LOG (cont.) or	PLUGGIN	GINTERVALS	
3'	50'	Top Soil Clay								
50'	60'	Limestone								
60'	75'	Gray Shale								
75'	110'	Shaley Lime								
				w	Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, constructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) 12/18/2018 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 493. This Water Well Record was completed on (mo-day-year) 8/14/2019  under the business name of Reiserer Well Drilling										
under the h	ousiness nar	ne of Reiser	er Well Di	rilling	Si	gnature	Selsten 12 cm	6. K. w. L		
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										