KOLAR Document ID: 1531859

WATER WEL			WWC-5 ge in Well Use		vision of Wat ources App. 1			Well ID		
1 LOCATION OF WATER WELL:			Fraction	Section Nu					ge Number	
County:				4 ¹ /4	¹ / ₄ T S R					
					treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
Address: Address:										
City:		State:	ZIP:							
3 LOCATE WELL	f	ft. 5 Latitude :(decimal degrees)								
WITH "X" IN SECTION BOX:	Depth(s) G	ft.	Longitude:(decimal degrees)							
N		ft. TATIC WA	Dry Well	Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27						
	7		n. y-yr)		Source for Latitude/Longitude:					
NW 🖌 - NE	above	and surface	, measured on (mo-day	-yr)		(WAAS enabled? ☐ Yes ☐ No)				
			vater was		Land Survey Topograp					
W	E atter	Well v			Online Mapper:					
SW SE		hour	. gpm	6 Fleve	otion	· fr	Ground			
	Estimated	Tield: Diameter:	ft and		6 Elevation :ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map					
1 mile			ft.							
7 WELL WATER TO BE USED AS:										
1. Domestic:	Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?									
Lawn & Garden				□ Cased □ Uncased □ Geotechnical						
					12. Geothermal: how many bores?					
 2. ☐ Irrigation 3. ☐ Feedlot 		9. Environmental Remediation: well ID				a) Closed Loop				
4. Industrial			13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:										
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft.										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Steinless Steel Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage										
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
Direction from well?	· · · · · · · · · · · · · · · · · · ·		Distance from w	vell?						
10 FROM TO		LITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
<u>-</u>										
<u>├</u>										
				Notes:		1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year)										
under the business	name of	O WATER W	/ELL OWNER and retain	one for your red	ords. Fee of \$	5.00 f	or each constructed we	 11.		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http://www	Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212									