WATER WELL RECORD			Form W	WC-5	Div	vision of Wate	r Resources App. N		
1 LOCATION OF WATER WELL:			Fraction		Sectio	n Number		Range Number	
County: Sedgwick			1/4 NW 1/4 SW	35 T 27 S R 2 🔀 🗆 W					
Stre	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
fron	nearest t	own or intersection: If at	owner's address, check	Latitude: (in decimal degrees)					
				Longitude: (in decimal degrees)					
220	2205 S. Ironstone. Wichita Ks, 67230					Elevation:			
2 WATER WELL OWNER: Cherrywood Construction Inc					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
		Officity			tion Method:		,		
RR#, Street Address, Box #: 9415 E Harry St # 305 Wichita, K				iita, K	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Wichita,			i, KS 67207	KS 67207		Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL									
	WITH AN "X" IN SECTION BOX:  N  Depth(s) Groundwater Encountered (1)								
10 1000 00									
	Pump test data: Well water was								
	ECT VIELD and Wall water was ft offer hours numing ou								
W	1 N T T T T T T T T T T T T T T T T T T								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
	sw se Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
—	Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted									
Water well disinfected? ☐ Yes ✓ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5" in. to									
Casing diameter .5" in. to									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)									
SCREEN-PERFORATED INTERVALS: From 54' ft. to 94' ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20' ft. to 94' ft., From ft. to ft.									
From									
6 GROUT MATERIAL: Next cement									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
K	✓ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
FROM		LITHOLO	JIC LOG	FROM	ТО	LITHO. LO	UG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0'	3'	Top Soil		-					
3'	30'	Clay		<u> </u>				·	
30'	60'	Limestone							
60'	75'	Gray Shale							
75'	94'	Shaley Lime		-			<del></del>		
	-							<u>-</u>	
					1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) 2/24/16 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 493. This Water Well Record was completed on (mo/day/year) 4/29/16.									
under the business name of Reiserer Well Drilling by (signature) Server Reiserer  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and cheef the correct answers. Send three copies									
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									