WATER WEI	LL RECORD	Form W	WC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number
County: Sedgwick		1/4 NE 1/4 SW		
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)
				Longitude: (in decimal degrees)
15417 E Rosewood Ct. Wichita KS. 67230			Elevation:	
2 WATER WELL OWNER: Cherrywood Construction Inc			Collection Method:	
RR#, Street Address, Box #: 9415 E Harry St # 305 W				GPS unit (Make/Model:)
City, State, ZIP Code : Wichita,		KS 67207		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
				Est. Accuracy:
3 LOCATE WE WITH AN "X"	LL A DEPTH OF	COMPLETED WELL	66'	ft.
1	CTION BOX: Depth(s) Groundwater Encountered (1)			
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr			
Pump test data: Well water was				ft. after hours pumping gpm
EST. YIELDgpm. We			was	ft. after hours pumping gpm
w X	E Bore Hole Diam			ft., andin. toft.
				ater supply Geothermal Injection well
-swse Domestic Feedlot Oil field water supply Dewatering Other (Specify				
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well				
s If yes, mo/day/yr sample was submitted				
was submitted: Yes No				
5 TYPE OF CASING USED: ☐ Steel ✓ PVC ☐ Other				
Casing diameter 5" in to ft Diameter in to ft Diameter in to ft Diameter in to ft.				
Casing diameter .5" in. to				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Continuous slot ✓ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From 46' ft. to 66' ft., From ft. to ft.				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From 20' ft. to .66' ft., From ft. to				
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From .3' ft. to .20' ft., From ft. to ft., From ft. to ft.				
What is the poor	From .9 II. to			It. to It., From It. toIt.
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
✓ Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well				
Direction from				e from well 45'.+
FROM TO 0' 3'	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0' 3' 3' 21'	Top Soil			
21' 25'	Clay Limestone			
25' 55'	Shaley Lime			
20 00	Orlaicy Lime			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) 4/7/16 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/year) 6/29/16				
under the business name of Reiserer Well Drilling by (signature) Server Reiserer Well Drilling by (signature) Server Reiserer Well Drilling by (signature) Server Reiserer Rei				
white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at				
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				