WATER WELL RECORI	D Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER County: Sedgwick		/ 1/4 SW 1/4	Section Number   Township No.   Range Number	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:				
	ction: If at owner's address, chec		Latitude: (in decimal degrees)	
537 N Bristol Court Wichit	la Ks 67206		Longitude: (in decimal degrees)	
Sof IV Bridge Court Widnika No. 07200			Elevation:	
2 WATER WELLOWNER.			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
2 WATER WELL OWNER: RR#, Street Address, Box #:	Cale Wearing		Collection Method:  GPS unit (Make/Model:)	
City, State, ZIP Code :	10000 011 10001		Digital Map/Photo, Topographic Map, Land Survey	
Sity, State, 211 Code	Rose Hill Ks. 67133		Est. Accuracy:	
3 LOCATE WELL				
WITH AN "X" IN 4 DI	EPTH OF COMPLETED WEI	T	ft.	
SECTION BOX: Dept	Depth(s) Groundwater Encountered (1).55'			
N WEL	WELL'S STATIC WATER LEVEL			
Tom	Pump test data: Well water was ft. after hours pumping gp EST. YIELD gpm. Well water was ft. after hours pumping gp			
1 1 NW - 1 - NE - 1   D				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify be				
Urrigation Direction Domestic lawn & garden D Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes V No				
s If yes, mo/day/yr sample was submitted				
mile  Water well disinfected?   Yes   No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter . 5" in. to				
Casing diameter .5" in. to ft., Diameter ft.,				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
Steel Stainless Steel PVC Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From 58' ft. to 98' ft., From ft. to ft.				
From				
GRAVEL PACK INTERVALS: From 20' ft. to 98' ft., From ft. to ft.				
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
What is the nearest source of po	II. WII., FFOI	m	II. to II., From II. toII.	
	Lateral lines Pit privy	Livestock p	pens	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
Watertight sewer lines	Seepage pit Feedyard	Fertilizer st		
	ITHOLOGIC LOC		from well .20'.+	
	LITHOLOGIC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0'   2'   DIRT   2'   CLAY				
15' 20' LIME STONE	=			
20' 45' SHALE (Gra				
45' 98' SHALEY LIM				
			141 A	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .12/04/15 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/year) 3/20/15				
under the business name of Reiserer Well Drilling by (signature)  INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			