KOLAR Document ID: 1569024

				ivision of Wate		W 11 ID		
		ge in Well Use		sources App. N		Well ID	NY 1	
1 LOCATION OF V	VATER WELL:	Fraction		ection Numbe	1		nge Number	
County:	1/4 1/4 1/4		1 A 1.1	T S		□ E □ W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from pearest town or intersection): If at owner's address, check here:								
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	LOCATE WELL 4 DEPTH OF COMPLETED WELL:				ft. <b>5 Latitude</b> :(decimal degrees)			
WITH "X" IN	Depth(s) Groundwater Encountered: 1) ft.							
SECTION BOX:	2) ft. 3) ft., or 4) $\square$ Dry We			Longitude:				
N	WELL'S STATIC WATER LEVEL: ft.				e for Latitude/Longitud		NAD 21	
	☐ below land surface			·· GPS (unit make/model:)				
NW NE X	above land surface, measured on (mo-day-yr)				· (WAAS enabled? \( \subseteq \text{Yes} \( \supseteq \text{No} \)			
X	Pump test data: Well water was ft.			□ La	☐ Land Survey ☐ Topographic Map			
W E	after hours pumping gpm			□ O	Online Mapper:			
SW SE	Well water was ft.							
	after hours pumping gpm Estimated Yield:gpm			<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC				
S		ft and		Source:   Land Survey   GPS   Topographic Map				
mile	Bore Hole Diameter: in. to ft. and in. to ft.				Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID		. 10. □ Oi	l Field Water Supply:	lease		
☐ Household		g: how many wells?			11. Test Hole: well ID			
Lawn & Garden					☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock	8. Monitorin		12. Geoth	12. Geothermal: how many bores?				
2.  Irrigation	9. Environmental Remediation: well ID				a) Closed Loop			
3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop			
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected?								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Continuous Stot ☐ Mint Stot ☐ Gauze Wrapped ☐ Total Cut ☐ Diffied Holes ☐ Other (Specify)								
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft., From ft.								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other								
Grout Intervals: From								
	ole contamination: No							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)         Direction from well?         ft.								
10 FROM TO	LITHOLOG		FROM		LITHO. LOG (cont.)		C INTERVALE	
10 FROM TO	LITHOLOG	GIC LUG	FROM	10	LITHO. LOG (COIII.)	I FLUGGIN	UINTERVALS	
				+ +				
			+	+ +				
			Notes:	1				
	110003							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged								
under my jurisdiction and was completed on (mo-day-year)								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.  Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212								
visit us at <u>nttp://www.kdf</u>	icks.gov/waterweii/index.ntml					L/y	or o∠a-1∠1∠	