KOLAR Document ID: 1571867

				ivision of Wate		W 11 ID			
		e in Well Use		sources App. N		Well ID	N. 1		
1 LOCATION OF V	NATER WELL:	Fraction		ection Numbe	1		nge Number		
County:		1/4 1/4 1/4	1/4	1 4 1 1	<u>T</u> S		□E□W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and									
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	A DEPENDENCE COL	ADI EWED IVELI		s =	_				
WITH "X" IN	4 DEPTH OF COMPLETED WELL:				,				
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:					
N							NAD 27		
	WELL'S STATIC WATER LEVEL: ft. □ below land surface, measured on (mo-day-yr)				e for Latitude/Longitue		`		
NW NE	above land surface								
NW NE	Pump test data: Well w				☐ Land Survey ☐ Topographic Map				
W	· c 1	s pumping		Online Mapper:					
' '	Well v	vater was f	t.						
SW X SE	after hours pumping gpm			6 Florestions & G. Connect Level G. TOC					
	Estimated Yield:gpm				6 Elevation:				
S	Bore Hole Diameter: in. to ft. and			Source	Source: Land Survey GPS Topographic Map Other				
	t.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID									
1. Domestic:		ter Supply: well ID							
Household		g: how many wells?							
☐ Lawn & Garden ☐ Livestock	— 1				☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
2. ☐ Irrigation	8. Monitoring: well ID				a) Closed Loop Horizontal Vertical				
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial	☐ Recovery	☐ Injection	Attaction						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.)	or PLUGGIN	IG INTERVALS		
				1					
			1	1					
		Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas water well Contractor's License No									
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									