KOLAR Document ID: 1623429

	WELL R			WWC-5		Division of V					
		Correction		ge in Well Use		esources Ap			Well ID		
1 LOCATION OF WATER WELL: Fraction									nge Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First:											
	ast Name:		First:		reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:						
Business: direction from near Address:								ersection): If at owne	r's address,	check here:	
Address:											
City:			State:	ZIP:							
3 LOCAT					· · · ·						
	4 DEPTH OF COMPLETED WELL:										
	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box										
1	N WELL'S STATIC WATER LEVEL:									AD 27	
		below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:				
NW	NE	above land surface, measured on (mo-day-yr)					$(WAAS enabled? \square Yes \square No)$				
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map				
w		after hours pumping gpn					Online Mapper:				
SW	SE	Well water was ft.									
3₩		after hours pumping gpm Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				
	S		6 J		Source: Land Survey GPS Topographic Map						
	-	Bore Hole Diameter: in. to				50					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
				ig: how many wells?		11. Test Hole: well ID					
			7. Aquifer Recharge: well ID								
	□ Livestock 8. □ Monitoring: well ID							othermal: how many bores?			
2. 🗌 Irrigati				al Remediation: well II			a) Closed Loop \Box Horizontal \Box Vertical				
3. ☐ Feedlot					Extraction						
4. 🗌 Industr	rial	Recovery	Injection		13.	13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
\Box Continuous Slot \Box Mill Slot \Box Gauze Wrapped \Box Torch Cut \Box Drilled Holes \Box Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
	rce of possible			potential source of con					····· 11.		
☐ Septic			Lateral Line			Livestock		☐ Insecti	cide Storage		
Sewer			Cess Pool	Sewage La					oned Water		
	ight Sewer Lir			Feedyard		Fertilizer	Storag	e 🗌 Oil We	ell/Gas Well		
Direction from well? ft.											
										a 11 11 1 1 1 1	
10 FROM	TO	I	LITHOLOG	GICLOG	FROM	ТО		THO. LOG (cont.) of	PLUGGIN	GINTERVALS	
	├						_				
	<u>├</u> ────┤										
	┨────┤						_				
	┨────┤						_				
					Natar						
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
				no-day-year)							
Kansas Wa	iter Well Con	tractor's Lic	ense No		ater Well R	ecord was	compl	eted on (mo-dav-v	ear)	5- 4112 001101.	
	ousiness name	e of									
		Send one copy t	o WATER W	ELL OWNER and retain	one for your i	ecords. Fee o	of \$5.00	for each constructed we	ell.		
-				Water, Geology Section, 10	000 SW Jacks	on St., Suite 4	20, Top	eka, Kansas 66612-136			
Visit us at	http://www.kdhe	ks.gov/waterwe	<u>II/index.html</u>						KS	SA 82a-1212	