WATER			WWC-5	Division of Water				
	Record _		ge in Well Use		urces App. No			
1 LOCATION OF WATER WELL:			Fraction	'	Section Number Township Number Range Number			
Water Company of the	Sedgwic		SW 4NE 4NE 4					
	OWNER: L		First:			ere well is located (if unknown, distance and		
Business: KLAUSMEYER CONSTRUCTION LLC direction from nearest town or intersection): If at owner's address, check here: Address: 10008 W. York								
Address: : Address:	T0008 M.	York		824 E. Sunset Street				
	Wichita	State: Kans	sas ZIP: 67215	Goddard, Kansas 67052				
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL: 95								
SECTIO			Encountered: 1)					
N			3) ft., or 4) [Horizor	Horizontal Datum: ■ WGS 84 □ NAD 83 □ NAD 27		
·		WELL'S STATIC WA	TER LEVEL: 28	ft.	Source for Latitude/Longitude:			
			, measured on (mo-day-y	r)10/06/23.	GP GP	S (unit make/model: I-Phone)		
			measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)		
Pump test data: Well						ad Survey Topographic Map		
			rs pumping water was ft		Online Mapper:			
Estimated Yield:			rs pumping	gpm	6 Elevation :ft. ☐ Ground Level ☐ TOO			
<u></u>		Bore Hole Diameter: 1	2 in. to 85	ft and		☐ Land Survey ■ GPS ☐ Topographic Map		
1 n			in. to	. It und				
7 WELL WATER TO BE USED AS:								
1. Domestic:	YAIBRIC		ater Supply: well ID		10 🗆 🗀	Field Water Supply: lease		
☐ Housel	hold		ng: how many wells?					
Lawn &				ell ID Cased Uncased Geotechnica				
Livesto			ng: well ID					
2. Irrigati			tal Remediation: well I		The state of the s			
3. Feedlot Air Sparg					b) Open Loop Surface Discharge Inj. of Water			
4. Industr		☐ Recovery	☐ Injection		13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes \(\subseteq \) No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 49 ft. to 85 ft., From ft., From ft., From ft., From ft., From ft.								
GRAVEL PACK INTERVALS: From 24 ft. to 85 ft., From ft. to ft., From ft. ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From4								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
Direction from well? South								
10 FROM	TO	LITHOLO	OGIC LOG	FROM	ТО	LITHO. LOG (cont.) or PLUGGING INTERVAL		
0	3	topsoil						
3		clay						
28	45	medium sand						
45	85	gray shale						
				Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗷 constructed, 🗆 reconstructed, or 🗀 plugged								
under my jurisdiction and was completed on (mo-day-year) 19/.0.6/.2.0.2.3 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No236 This Water Well Record was completed on (mo-day-year) 10./.9/.2023 under the business name of								
under the l	ousiness nar	ne ofHarp.V	Well and Pump Serv	jceSi	gnature To	ld S.H arp		
Mail 1 v	white copy alor	ng with a fee of \$5.00 for eac	h constructed well to: Kan	sas Department o	f Health and En	vironment, Bureau of Water, GWTS Section,		
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								