WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| · · · · | County | ty Fraction | | | number | Township number | | Range number | | | |
|---|---------------|---------------|-------------|------------|--------|--|------------------|---------------------|--------------------|-----------|--|
| 1. Location of well: | Sedgwick | 1/4 NW 1/4 SW | 1/4 | | 6 | 7 27 | S | R 2E | | E/W | |
| 2. Distance and direction from nearest town or city: 3. Owner of well: Street address of well location if in city: 1/8 mile East of Woodlawn R.R. or street: City, state, zip cod | | | | | 1: | Fidelity Development Inc. 229 South Market Wichita, Kansas | | | | | |
| 4. Locate with "X" in section below: On the nongetimage of the road. N $ \begin{bmatrix} 1 & 1 \\ - & NW NE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ 1 & 1 \\ - & SW SE - 1 \\ - & SW SW SW - 2 \\ - & SW SW - SW - 2 \\ - & SW SW - SW - 2 \\ - & SW SW - SW - 2 \\ - & SW SW - SW - 2 \\ - & SW - S$ | | | | | | 6. Bore hole dia. 11 in. Completion date Well depth 90 ft. 7-14-77 7. Cable tool X Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary | | | | | |
| | | | | | | 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Oil field water Other Threaded Welded Height: Above or below Threaded Welded Surface 12 in. RMP PVC Weight Ibs./ft. | | | | | |
| 1M | Dia5in. to 90 | ft.dept | hWall Thick | ness: inch | es or | | | | | | |
| 5. Type and calor of material | | | | | To | Dia in. to ft. depth gage No 200 10. Screen: Manufacturer's name | | | | | |
| | | | | | | -Sunflower- | Plas | tic | 1 | | |
| Topsoil | | | | 0 | 3 | Type Styrene Dia. 5" Slot/gauze .06 Length 75' Set between 15 ft. and 90 ft. | | | | | |
| Clay | | | | 3 | 10 | Gravel pack? _yes | ft.aı Sizeran | nd ge of materia | 1_1_1 | ft. | |
| Brown Shale | | | | 10 | 65 | 11. Static water level: mo./day/yr. <u>15</u> ft. below land surface Date <u>7-14-77</u> | | | | | |
| Gray Shale | | | | 65 | 90 | 12. Pumping level below land surfaces: ft. afterhrs. pumpingg.p.m. ft. afterhrs. pumpingg.p.m. Estimated maximum yieldg.p.m. | | | | | |
| | | | | | | 13. Water sample sub Yes | mitted: | ate | mo./c | | |
| | | | | | | 14. Well head compl Pitless adapter | | IZ Inches | apped above gro | ode | |
| | | | | | | 15. Well grouted <u>Wes 1</u> -2 fine sand mix With: Neat cement Bentonite _ <u>X</u> Concrete Depth: From _ <u>40*1</u> ft. to _ <u>14-</u> ft. | | | | | |
| | | | | | | 16. Nearest source of possible contamination: City fi200 Direction South_Type Sever | | | | | |
| | | | | | | Well disinfected upor 17. Pump: Manufacturer's name | | X Not ins | | No | |
| | | | | | | Model number | | | | | |
| | | | | | | Type: Submersible | | | Turbine | | |
| (Use a second sheet if needed) | | | | | | Jet Centrifugal | | | Reciproca Other | ting Se C | |
| 18. Elevation: 19. Remarks: | | | | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. | | | | | |
| Topography: Hill XSlope Upland | | | | | | Harp Well Business name Address Wich | & Pur | • | 2 Licens | | |
| Valley | | | | | | Signed Author | ized repre | esentative | - 3/- | | |

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5