			WATI	ER WELL RECO	RD Fori	m WWC-5	5 KSA 82a					
LOCATI	ON OF WATE		Fraction	CE	CD		ction Number	1 2	p Number	Range N		
County:	Sedgwich			/ <sub>4</sub> SE 1/ <sub>4</sub>		74	8	T 2	/ s	R 2E	E/W	
				address of well if	_		<sup>2</sup> andad					
			N. side of	. ISLII IN•	AATC	hita, K	lalibab					
		ER: Buford						Board	-f Agricultura	Division of Wat	Passuroes	
		# : 9200 E	. 13th a,Kansas						of Agriculture, ation Number:	Division of Wat	er nesources	
	, ZIP Code			COMPLETED W		42	" FLEW	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~				
AN "X"	IN SECTION	BOX:		COMPLETED WI Idwater Encounte								
- r	- N	<del></del>	Depth(s) Groun	owater Encounte	rea i . ]	9 ft h	IL.	Z		2-21-92		
1				np test data: W								
-	NW  -	- NE										
	Est. Yield gpm: Well water was ft. after hours pumping gpm  Bore Hole Diameter 14 in. to 42 ft., and in. to ft.										ypm	
• w  -	<del>-                                    </del>	<del>-   -  </del>		TO BE USED A			er supply		ning 11		<b>.</b>	
-	i	i	1 Domestic	_				9 Dewatering	-	Other (Specify	helow)	
-	SW   -	SE	2 Irrigation					10 Monitoring				
	1 1			ıl/bacteriological s				-				
1 -			mitted					ater Well Disinf			illpro trace	
5 TYPE (	OF BLANK CA	SING USED:		5 Wrought iro		8 Concre				d X Clam	ped	
 1 Ste	eel	3 RMP (SI	R)	6 Asbestos-C			(specify belo	ow)	Weld	ded	•	
2 PV		4 ABS		7 Fiberglass						aded		
				$22\dots ft.,\ Dia.$								
Casing he	ight above land	d surface	. 12	in., weight	2.29.		Ibs.	./ft. Wall thickne	ess or gauge N	ю "214		
TYPE OF	SCREEN OR	PERFORATIO	N MATERIAL:			7 PV			Asbestos-ceme			
1 Ste		3 Stainless		5 Fiberglass	•				Other (specify)			
2 Br		4 Galvaniz		6 Concrete tile		9 AB	_		` •	None used (open hole)		
		ATION OPENIN			5 Gauzed w	• •		8 Saw cut		11 None (op	en hole)	
	ontinuous slot	_	lill slot		6 Wire wrap	•		9 Drilled ho				
	ouvered shutter		ey punched	22	7 Torch cut		4 E.,		• •			
SCHEEN-	PERFURATED	INTERVALS:										
(	SRAVEL PACK	K INTERVALS:		22			•					
-	21017		From		ft. to		ft., Fro			to		
6 GROUT	T MATERIAL:	1 Neat o				3 Bento		Other				
Grout Inter	rvals: From.	4	.ft. to 24	l ft., From	<del>-</del> 1	ft.	to	ft., Fron	n <b>.</b>	ft. to		
What is th	e nearest sour	rce of possible	contamination:				10 Lives	stock pens	14 A	bandoned water	er well	
1 Se	eptic tank	4 Later	al lines	7 Pit pi	rivy		11 Fuel storage		15 C	15 Oil well/Gas well		
	ewer lines	5 Cess	•	8 Sewa	age lagoon		12 Ferti	ilizer storage	16 C	16 Other (specify below)		
3 W	atertight sewer	r lines 6 Seep	age pit	9 Feed	lyard		13 Inse	cticide storage	None	Apparent		
Direction f	T T							any feet?	DI HOONIO			
FROM 0	3	topsoi	LITHOLOGIC	) LOG		FROM	то		PLUGGING I	NIERVALS		
3	6	clay	<u>-</u>				<del>                                     </del>					
6	31	brown (	clay									
31	35	brown										
35	42	grey s						****				
		<u> </u>										
	<del> </del>											
							1		-			
							1				· · · · · · · · · · · · · · · · · · ·	
7 CONTE	RACTOR'S OF	R LANDOWNER	R'S CERTIFICAT	TION: This water	well was (	1) constru	cted, (2) rec	onstructed, or (	(3) plugged und	der my jurisdict	tion and was	
	on (mo/day/ye		1–92					ord is true to the				
Water Wel	Il Contractor's	License No.	236	This W	Vater Well F	Record wa	is completed	on (mo/day/yr)	<b>ه</b>	30.7	J. 19	
	business name			ump Servic			by (signa	- 11	Mary	Urns	ld	
INSTRU of Heat	CTIONS: Use typer th and Environmen	writer or ball point   it, Bureau of Water,	pen. <u>PLEASE PRESS</u> Topeka, Kansas 666	FIRMLY and PRINT c 620-0001. Telephone:	learly. Please f 913-296-5545.	ill in blanks, i Send one to	underline or circl WATER WELL C	le the correct answe DWNER and retain o	ard Send top three one for your record	copies to Kansas [ s.	Department	