LOCAT	TION OF WA	ATER WELL:	FRACTION	Water W	Vell Record Fo	orm WWC-5	KSA 82a-1212 Section Number	T	Range Number	
					C D			Township Number		
					1/4 SE	1/4	10	T 27 s	R 2E E/W	
ì		frem nearest town or city stree		•						
12601 Tallowood Wichita, Kansas										
2 WAT	TER WELL O	,								
RR#, S	ST. ADRESS,		Tallowoo					Board of Agriculture, Di	lvivsion of Water Resource	
CITY,	, STATE, ZIP		ta,Kansas					Application Number	r:	
			DEPTH OF COM	MPLETED W	ÆLL	70	ft. ELE	EVATION:		
AN "X"	' IN SECTION	N BOX:	Depth(s) groundw	ater Encount	tered	1	ft.	2 ft.	3 ft.	
l Î		WF	ELL'S STATIC W	ATER LEVF	EL 22	FT	BELOW LAND SUR	RFACE MEASURED ON mo/day/yr	09/20/1993	
	NW	NE.	Pump test	t data:	Well water	r was	ft. a	after hours pum	ping gpm	
		1 ':= 1 1	. Yield	gpm:	Well wate	er was	ft. s	after hours pum	ping gpm	
W IM	\vdash	E Borr	e Hole Diameter	12	in. to	70	ft. ,	and in.	to ft.	
=		X WE	ELL WATER TO I	BE USED AS	: 5 Pu	ıblic wate	r supply t	8 Air conditioning 11 In	njection well	
,	sw		1 Domestic	3 Feediot	6 O	il field wa	ter supply	9 Dewatering 12 O	Other (Specify below)	
	377		2 Irrigation	4 Industria	al 7 Ls	awn and g	arden only 1	0 Monltoring weli		
1			s a chemical/bacte	eriological sar	mple submi	tted to De	epartment? Yes	No X; If yes, m	o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No										
5 TYP	PE OF CA	SING USED:		5 Wrough	of iron	8	Concrete tile		lued X Clamped	
1 Steel		3 RMP (SR)		6 Asbestos-Cement			9 Other (Specify below) Welded			
2 PVC	•	4 ABS		7 Fiberglas			DR-26	,	'hreaded	
	_ sing Diamo		to 30							
		ve land surface 12		,	Dia	in.	to lbs./ft. \	ft., Dia in. Wall thickness or gaves No.	to ft.	
		Ve land surface 12 EN OR PERFORATION	in. , N MATERIAL:	Wei	ight 2.3		IDS. / Rt. V 7 PVC	Wall thickness or gauge No. 10 Asbestos-ceme	.214 ent	
1 Steel		3 Stainless Steel	NINE LINE	5 Fiberglass	is		RMP (SR)	11 other (specify)		
2 Brass	_	4 Galvanized steel		6 Concrete			ABS	12 None used (op		
1				-			AUS	8 Saw cut	11 None (open hole)	
1 Contin		RFORATION OPENIN	IG ARE:		5 Gauzed w			9 Drilled holes	11 None (open note)	
		3 Mill slot	_		6 Wire wra					
ı	red shutter				7 Torch cut	Ė		10 Other (specify)		
SCREEN	I-PERFO	RATION INTERVALS	S: from 30)	ft. to	70	ft., From	ft. to	ft.	
from					ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				Ł	ft. to 70		ft., From	ft. to	ft.	
<u> </u>		4 57	from		ft. to		ft., From		ft	
	UT MATE	_		Cement grout		3 Ber	ntonite	4 Other		
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From							ft., From	ft. to ft.		
		t source of possible cont		7 D:4	7 Dt4t		10 Livestoc		bandon water well	
1 Septio		4 Lateral line		7 Pit privy			11 Fuel sto	130	15 Oil well/Gas well	
2 Sewer		5 Cess pool		8 Sewage lagoon				zer storage 16 C cide storage	Other (specify below)	
	rtight sewe		pit	9 Feed	iyard		13 июни	nde storage		
	n from wel							How many feet? 15		
FROM			HOLOGIC LOG			FROM	то	PLUGGING INTER	RVALS	
	3	topsoil								
	11	clay								
T	41	brown shal								
41	70	grey shale	<u> </u>							
					\rightarrow					
\sqcup										
7 CON	TT A CTO	7.0	Th	· · · · · · · · · · · · · · · · · · ·			1 (0) ====motou			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)Ω9/.20/.1993										
Well Contractor's License No236										
Vano. Thodonick.										
788										