

1] LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: SULLY	SE 1/4 NE 1/4 NE 1/4	11	T 35 S	R 2 EW
Distance and direction from nearest town or city street address of well if located within city?				
27				

2 WATER WELL OWNER: LARRY LEONARD
RR#, St. Address, Box # : P.O. BX-245 R#2
City, State, ZIP Code : DERBY KS

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
NW	NE
S	
SW	SE
E	

1 Mile

4] DEPTH OF COMPLETED WELL. 54 ft. ELEVATION: _____

Depth(s) Groundwater Encountered 1. 18 ft. 2. 35 ft. 3. _____ ft.

WELL'S STATIC WATER LEVEL. 15 ft. below land surface measured on mo/day/yr 3-10-87

Pump test data: Well water was 15 ft. after 1 hours pumping 21 gpm

Est. Yield 28 gpm; Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter. 11 in. to 54 ft., and _____ in. to _____ ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	9 Dewatering
	7 Lawn and garden only	10 Observation well
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes _____ No _____; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes _____ No _____

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SRI)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input checked="" type="checkbox"/>
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter 2 in. to 20 ft., Dia. in. to ft., Dia. in. to ft.

Casing height above land surface 12 in., weight 1.59 lbs./ft. Wall thickness or gauge No. SDR-26

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SRI)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 20 ft. to 54 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 12 ft. to 54 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 3 ft. to 12 ft., From ft. to ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? South. How many feet? 40 ft.

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-10-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 318 This Water Well Record was completed on (mo/day/yr) 3-11-87 under the business name of Union Drilling by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-662-9360. Send one to WATER WELL OWNER and retain one for your records.