1 LOCA	TION OF WA	TER WELL:	FRACTION	Water Well R	ecord Form WWC-	5 KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick		SW 1/4	SE 1/4	SE 1/4	11	2.7) an	
Distance and direction frem nearest town or city street address of well if located within city?								
14101 E. Sport Of Kings (Savannah Addition) Wichita, Kansas								
	TER WELL O		ER, Layn		II AUUICI	CON) WIC	mila, kansas	
ш	ST. ADRESS,				75		Board of Agriculture, l	Divivsion of Water Resource
RR#, ST. ADRESS, BOX #: 14101 E. Sport Of Kings CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:								
J LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 70 ft. ELEVATION:								
'AN "X	" IN SECTION	N BOX:	Depth(s) groundwa	ater Encountere	ed 1	ft.	2 ft.	3 ft.
		WE	LL'S STATIC W	ATER LEVEL	42 F	T. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	08/24/1994
I	NW	NE	Pump test	t data: W	ell water was	ft.	after hours pur	nping gpm
<u> </u>		Est.	Yield	61	ell water was	ft.	after hours pun	nping gpm
1Mile	· 		e Hole Diameter	12 in.		ft.	and in.	to ft.
			LL WATER TO I		5 Public wat		•	Injection well
1 Domestic 3 Feedlot 6 Oll field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well								Other (specify below)
Was a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes 🗶 No								
TYPE OF CASING LISER.								
S Wrought Iron 8 Co						Concrete tile CASING JOINTS: Glued X Clamped Other (Specify below) Welded		
2 PVC		4 ABS		7 Fiberglass		SDR-26		Threaded
Blank casing Diameter 5 in. to 40 ft., Dia in. to ft., Dia in. to ft.								
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 40 ft. to 70 ft., From ft. to ft.								
from ft. to						ft., Fron	n ft. to	ft.
[GRAVI	EL PACK INTERVALS		ft. to 70		ft., From		
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Crout Intervals: From A 8 40 2 A								
		source of possible cont		ft. From	It.	to 10 Livesto	ft. From ock pens 14	ft. to ft. Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel st	ha=a=a	Oil well/Gas well
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertili		Other (specify below)
3 Wate	rtight sewe	_		9 Feedyar	rd	13 Insect	icide storage	
Direction from well? South How many feet? 80								
FROM		LITH	HOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS
0	3	topsoil						
3	16	clay						
16	70	grey shale						
					_			
								747E
							The state of the s	41
								1477
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
	4	. 17	Walle	Duma Co.	errico T	sompleted on (ii		
Under	the busin	ess name ofHarp	Well &	Pump Se	cvice, I	NG by (sign	ature\	Frederick