


1 LOCATION OF WATER WELL:		FRACTION NE 1/4 NW 1/4 SW 1/4	Section Number 24	Township Number T 27 S	Range Number R 3E E/W
Distance and direction from nearest town or city street address of well if located within city? <b>4 m. E. of Andover Rd., 1/2 m. N. of Hwy 54, 1/4 E.      Augusta, Kansas</b>					
2 WATER WELL OWNER: RR#, ST. ADDRESS, BOX #: CITY, STATE, ZIP CODE:		MARTINE, Dave 12658 S. W. 95th Augusta, Kansas			
Board of Agriculture, Division of Water Resource Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL Depth(s) groundwater Encountered	147 ft.	ELEVATION: WELL'S STATIC WATER LEVEL 90 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr <b>08/09/1995</b>	
		Pump test data: Est. Yield gpm: Bore Hole Diameter 12 in.	Well water was ft. after hours pumping Well water was ft. after hours pumping to 147 ft. and in. to ft.	gpm	
		WELL WATER TO BE USED AS: 1 Domestic 2 Irrigation	5 Public water supply 6 Oil field water supply 7 Lawn and garden only	8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)	
		Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
5 TYPE OF CASING USED: 1 Steel 2 PVC		5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (Specify below)	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded	
Blank casing Diameter 5 in. to 67		ft., Dia	in. to ft., Dia	in. to ft.	
Casing height above land surface 12 in.,		weight 2.35	lbs. / ft.	Wall thickness or gauge No. <b>.214</b>	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass		5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 other (specify) 12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 2 Louvered shutter		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)	
SCREEN-PERFORATION INTERVALS: from 67		ft. to 147	ft., From	ft. to ft.	
		from ft. to ft.	ft., From	ft. to ft.	
GRAVEL PACK INTERVALS: from 24		ft. to 147	ft., From	ft. to ft.	
		from ft. to ft.	ft., From	ft. to ft.	
6 GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From 4 ft. to 24		ft. From	ft. to	ft. From	ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines					
7 Pit privy 8 Sewage lagoon 9 Feedyard					
10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage <b>None Apparent</b>					
14 Abandon water well 15 Oil well/Gas well 16 Other (specify below)					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG		FROM	TO
0	2	topsoil			
2	15	clay			
15	147	shale			
PLUGGING INTERVALS					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>08/09/1995</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>236</b> This Water Well Record was completed on (mo/day/yr) <b>08/10/95</b> . Under the business name of <b>Harp Well &amp; Pump Service, Inc.</b> by (signature) <b>Jane Frederick</b>					