


1 LOCATION OF WATER WELL:		FRACTION SW 1/4 NW 1/4 NE 1/4			Section Number 7	Township Number T 27 S	Range Number R 3E E/W	
Distance and direction from nearest town or city street address of well if located within city? Behind 557 Grace Ave 77 Andover, Kansas								
2 WATER WELL OWNER:		LANDMARK COMMUNITIES			Board of Agriculture, Division of Water Resource			
RR#, ST. ADDRESS, BOX #:		557 Grace Ave 77			Application Number:			
CITY, STATE, ZIP CODE:		Andover, Kansas						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 100 ft. ELEVATION: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 24 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 05/17/1996						
		Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12 in. to 100 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
		Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> ; If yes, mo/day/yr sample was submitted			Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			
5 TYPE OF CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded 2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded						
Blank casing Diameter 5 in. to 40 ft., Dia		in. to ft., Dia			in. to ft. ft.			
Casing height above land surface 12 in.,		weight 2.35 lbs. / ft.			Wall thickness or gauge No. .214 10 Asbestos-cement			
TYPE OF SCREEN OR PERFORATION MATERIAL:		5 Fiberglass 7 PVC 6 Concrete tile 8 RMP (SR)			11 other (specify) 12 None used (open hole)			
1 Steel 3 Stainless Steel		5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Brass 4 Galvanized steel		6 Wire wrapped 9 Drilled holes						
SCREEN OR PERFORATION OPENING ARE:		7 Torch cut 10 Other (specify)						
1 Continous slot 3 Mill slot		ft. to 100 ft. to ft. From ft. to ft.						
2 Louvered shutter 4 Key punched		ft. to ft. From ft. to ft.						
SCREEN-PERFORATION INTERVALS: from 40		ft. to 100 ft. to ft. From ft. to ft.						
from		ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: from 100		ft. to ft. From ft. to ft.						
from		ft. to ft. From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement		2 Cement grout			3 Bentonite			
Grout Intervals: From 4 ft. to 24		ft. From			ft. to ft. From ft. to ft.			
What is the nearest source of possible contamination:					10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines		7 Pit privy			11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool		8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit		9 Feedyard			13 Insecticide storage			
None Apparent								
Direction from well? How many feet?								
FROM	TO	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS	
0	3	topsoil						
3	11	clay						
11	62	brown shale						
62	100	grey shale						
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 05/17/1996 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 05/20/96 Under the business name of Harp Well & Pump Service, Inc. by (signature)							
Jane Frederick								