

1	LOCATION OF WATER WELL:	FRACTION	Section Number	Township Number	Range Number		
	Butler	SW 1/4 NW 1/4 NE 1/4	7	27 S	R 3E E/W		
Distance and direction from nearest town or city street address of well if located within city?							
1/2 mile West of Andover Rd., 1/4 S. of 21st			Andover, Kansas				
WATER WELL OWNER:		ROSE, Jerry					
RR#, ST. ADDRESS, BOX #:		1936 N. Northridge					
CITY, STATE, ZIP CODE :		Andover, Kansas					
Board of Agriculture, Division of Water Resource							
Application Number:							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
4 DEPTH OF COMPLETED WELL		95	ft.	ELEVATION:			
Depth(s) groundwater Encountered		1	ft.	2	ft.		
WELL'S STATIC WATER LEVEL 30		FT. BELOW LAND SURFACE MEASURED ON mo/day/yr					
Pump test data:		Well water was	ft.	after	hours pumping		
Est. Yield	gpm:	Well water was	ft.	after	hours pumping		
Bore Hole Diameter	12 in.	to 95	ft.	and	in. to ft.		
WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning	11 Injection well			
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)			
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> ; If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							
5	TYPE OF CASING USED:					CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped	
1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	9 Other (Specify below)	Welded		
2 PVC	4 ABS	6 Asbestos-Cement	7 PVC	10 Asbestos-cement	Threaded		
Blank casing Diameter 5 in. to 35	ft., Dia	7 Fiberglass	8 RMP (SR)	11 other (specify)			
Casing height above land surface 12 in.,	weight 2.35	6 Concrete tile	9 ABS	12 None used (open hole)			
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel	3 Stainless Steel	5 Fiberglass	5 Gauzed wrapped	8 Saw cut	11 None (open hole)		
2 Brass	4 Galvanized steel	6 Concrete tile	6 Wire wrapped	9 Drilled holes			
SCREEN OR PERFORATION OPENING ARE:							
1 Continous slot	3 Mill slot	7 Torch cut	10 Other (specify)				
2 Louvered shutter	4 Key punched						
SCREEN-PERFORATION INTERVALS: from 35 ft. to 95 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: from 24 ft. to 95 ft., From ft. to ft.							
6	GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					bentonite hole plug	
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandon water well			
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)			
13 Insecticide storage None Apparent							
Direction from well? How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	4	topsoil					
4	25	clay					
25	95	shale					
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03/25/1997 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 03/27/97 Under the business name of Harp Well & Pump Service, Inc. by (signature)						