

1	LOCATION OF WATER WELL:	FRACTION	Section Number	Township Number	Range Number
	Butler	NE 1/4 NE 1/4 NW 1/4	7	T 27 S	R 3E E/W

Distance and direction from nearest town or city street address of well if located within city?

1947 Northridge **Andover, Kansas**

WATER WELL OWNER: **ALLEN, John**
RR#, ST. ADDRESS, BOX #: **1947 Northridge**
CITY, STATE, ZIP CODE: **Andover, Kansas**

Board of Agriculture, Division of Water Resource

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL		100		ft.		ELEVATION:	
Depth(s) groundwater Encountered		1	ft.		2	ft.	
WELL'S STATIC WATER LEVEL		30		FT. BELOW LAND SURFACE MEASURED ON		mo/day/yr	
Pump test data:		Well water was		ft.		after	
Est. Yield		gpm:		Well water was		ft.	
Bore Hole Diameter		12		in.		to	
WELL WATER TO BE USED AS:		5 Public water supply		8 Air conditioning		11 Injection well	
1 Domestic		3 Feedlot		6 Oil field water supply		9 Dewatering	
2 Irrigation		4 Industrial		7 Lawn and garden only		10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ ; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes ☒ No ☐

5 TYPE OF CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued <input checked="" type="checkbox"/> Clamped	
1 Steel		6 Asbestos-Cement		9 Other (Specify below)		Welded			
2 PVC		7 Fiberglass		SDR-26		Threaded			
4 ABS									
Blank casing Diameter		5 in. to 30 ft., Dia		in. to		ft., Dia		in. to ft.	
Casing height above land surface		12 in., weight 2.35		lbs. / ft.		Wall thickness or gauge No.		.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:				7 PVC		10 Asbestos-cement			
1 Steel		3 Stainless Steel		5 Fiberglass		8 RMP (SR)		11 other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)			
1 Continous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS:		from 30		ft. to 100		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	
GRAVEL PACK INTERVALS:		from 24		ft. to 100		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	

6 GROUT MATERIAL: 1 Neat cement		2 Cement grout		3 Bentonite		4 Other bentonite hole plug	
Grout Intervals: From 4 ft. to 24 ft.		ft. From		ft. to		ft. From ft. to	
What is the nearest source of possible contamination:				10 Livestock pens		14 Abandon water well	
1 Septic tank		4 Lateral lines		7 Pit privy		11 Fuel storage	
2 <u>Sewer lines</u>		5 Cess pool		8 Sewage lagoon		12 Fertilizer storage	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		13 Insecticide storage	
						15 Oil well/Gas well	
						16 Other (specify below)	

Direction from well? **West** **How many feet?** **30**

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 05/13/1997 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 05/15/97 Under the business name of Harp Well & Pump Service, Inc. by (signature)

Todd S. Harp