

KSA 82a-121

1 LOCATION OF WATER WELL:		FRACTION			Section Number		Township Number		Range Number		
Butler		NE 1/4	SW 1/4	NE 1/4	19		T 27 S		R 3E E/W		
Distance and direction from nearest town or city street address of well if located within city?											
240 Bent Tree Court Andover, Kansas					Board of Agriculture, Division of Water Resource						
WATER WELL OWNER: MARKLERTIS, Jim					Application Number:						
RR#, ST. ADDRESS, BOX #: 240 Bent Tree Court											
CITY, STATE, ZIP CODE: Andover, Kansas											
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 97 ft. ELEVATION:									
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
		WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 08/27/1997									
		Pump test data: Well water was ft. after hours pumping gpm									
		Est. Yield gpm: Well water was ft. after hours pumping gpm									
		Bore Hole Diameter 12 in. to 97 ft. and in. to ft.									
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted									
		Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED:											
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued X Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (Specify below)				Welded	
				7 Fiberglass		SDR-26				Threaded	
Blank casing Diameter 5 in. to 27		ft., Dia		in. to		ft., Dia		in. to		ft.	
Casing height above land surface 12 in.,		weight 2.35		lbs. / ft.		7 PVC		Wall thickness or gauge No.		.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel		3 Stainless Steel		5 Fiberglass		8 RMP (SR)				10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS				11 other (specify)	
										12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:											
1 Continous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut				11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes					
				7 Torch cut		10 Other (specify)					
SCREEN-PERFORATION INTERVALS:											
from 27		ft. to 97		ft., From							
from		ft. to		ft., From							
GRAVEL PACK INTERVALS:		from 24		ft. to 97		ft., From					
		from		ft. to		ft., From					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 4 ft. to 24		ft. From		ft. to		ft. From		ft. to		ft.	
What is the nearest source of possible contamination:											
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens				14 Abandon water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage				15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage				16 Other (specify below)	
13 Insecticide storage											
Direction from well? South How many feet? 20											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
0	3	topsoil									
3	17	clay									
17	97	shale									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08/27/1997 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr) 08/29/97. Under the business name of Harp Well & Pump Service, Inc. by (signature) <i>Todd S. Harp</i>											