


1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number		
Butler			NW 1/4	SE 1/4	SE 1/4	1	T 27 s	R 3E EW
Distance and direction from nearest town or city street address of well if located within city?								
1/4 W. of Santa Fe Lake Road, 1/4 N. of 21st. N. Augusta, Kansas								
WATER WELL OWNER:	LAHAM, Brian			Board of Agriculture, Division of Water Resource				
RR#, ST. ADDRESS, BOX #:	6675 Autumn Drive			Application Number:				
CITY, STATE, ZIP CODE:	Augusta, Kansas							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 97 ft. ELEVATION:						
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 10/23/1998 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12 in. to 97 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
		Was a chemical/bacteriological sample submitted to Department? Yes			No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted			
					Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
5	TYPE OF CASING USED:			CASING JOINTS:				
1 Steel 3 RMP (SR)			5 Wrought iron 8 Concrete tile			Glued <input checked="" type="checkbox"/> Clamped		
2 PVC 4 ABS			6 Asbestos-Cement 9 Other (Specify below)			Welded		
Blank casing Diameter 5 in. to 25			7 Fiberglass SDR - 26			Threaded		
Casing height above land surface 12 in.,			in. to weight 2.35 lbs. / ft.			Wall thickness or gauge No. 10 Asbestos-cement .214		
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC					
1 Steel 3 Stainless Steel			5 Fiberglass 8 RMP (SR)			11 other (specify)		
2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			12 None used (open hole)		
SCREEN OR PERFORATION OPENING ARE:			5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot			7 Torch cut			9 Drilled holes		
2 Louvered shutter 4 Key punched						10 Other (specify)		
SCREEN-PERFORATION INTERVALS:			from 25	ft. to 97	ft. From	ft. to		
			from	ft. to	ft. From	ft. to		
GRAVEL PACK INTERVALS:			from 24	ft. to 97	ft. From	ft. to		
			from	ft. to	ft. From	ft. to		
6	GROUT MATERIAL: 1 Neat cement 2 Cement grout			3 Bentonite 4 Other				
Grout Intervals: From 4 ft. to 24			ft. From			ft. From		
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines			7 Pit privy			10 Livestock pens 14 Abandon water well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon			11 Fuel storage 15 Oil well/Gas well		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			12 Fertilizer storage 16 Other (specify below)		
							None Apparent	
Direction from well? How many feet?								
FROM	TO	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS	
0 5	topsoil							
5 15	rock							
15 97	shale							
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/23/1998 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10/26/98 Under the business name of Harp Well & Pump Service, Inc. by (signature) <i>Todd S. Harp</i>							