


1	LOCATION OF WATER WELL: Bedrock Butler	FRACTION SW 1/4 NE 1/4 NE 1/4	Water Well Record Form WWC-5 KSA 87a-1212	Section Number 32 19	Township Number T 27 S	Range Number 3 R 2 E E/W
Distance and direction from nearest town or city street address of well if located within city? 237 Cypress Ct. Andover, Kansas						
WATER WELL OWNER: ADAMS, Pam			Board of Agriculture, Division of Water Resource			
RR#, ST. ADDRESS, BOX #: 237 Cypress Ct.			Application Number:			
CITY, STATE, ZIP CODE: Andover, Kansas						
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 83 ft. ELEVATION:				
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 04/04/2001 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12 in. to 83 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No				
5	5 TYPE OF CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
2 PVC		4 ABS		6 Asbestos-Cement		Welded
Blank casing Diameter 5 in. to 43		ft., Dia		8 Concrete tile		Threaded
Casing height above land surface 12 in.,		weight 2.35		9 Other (Specify below)		
TYPE OF SCREEN OR PERFORATION MATERIAL:						Wall thickness or gauge No. .214
1 Steel		3 Stainless Steel		5 Fiberglass		7 PVC
2 Brass		4 Galvanized steel		6 Concrete tile		10 Asbestos-cement
SCREEN OR PERFORATION OPENING ARE:						11 other (specify)
1 Continous slot		3 Mill slot		5 Gauzed wrapped		12 None used (open hole)
2 Louvered shutter		4 Key punched		6 Wire wrapped		8 Saw cut
				7 Torch cut		9 Drilled holes
SCREEN-PERFORATION INTERVALS: from 43 ft. to 83 ft., From						10 Other (specify)
from						ft. to
from 24 ft. to 83 ft., From						ft. to
from						ft. to
6	6 GROUT MATERIAL: 1 Neat cement					
2 Cement grout						3 Bentonite
Grout Intervals: From ft. to ft. From						4 Other bentonite hole plug
						ft. From 4 ft. to 24 ft.
What is the nearest source of possible contamination:						
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage
						13 Insecticide storage
Direction from well? South How many feet? 10						
FROM	TO	LITHOLOGIC LOG			FROM	TO
0	4	topsoil				
4	10	clay				
10	83	shale				
PLUGGING INTERVALS						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 04/04/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 . This Water Well Record was completed on (mo/day/yr) 04/06/01 . Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp						