

1 LOCATION OF WATER WELL:

FRACTION

Butler

SE 1/4 SE 1/4 SW 1/4

Section Number

4

Township Number

T 27 S

Range Number

R 3E E/W

Distance and direction from nearest town or city street address of well if located within city?

60th is 29th N. & Santa Fe Lake Rd., then 1/2m E., N. side

Augusta, Kansas


WATER WELL OWNER: BLUBAUGH, Jamie

RR#, ST. ADDRESS, BOX #: 5969 SW Timber Ridge Rd.

CITY, STATE, ZIP CODE : Augusta, Kansas

Board of Agriculture, Division of Water Resource

Application Number:

LOCATE WELL'S LOCATION WITH
AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL 145 ft. ELEVATION:

Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 68 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 7-12-2001

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 12 in. to 145 ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No

5 TYPE OF CASING USED:

1 Steel 3 RMP (SR)

5 Wrought iron

CASING JOINTS: Glued X Clamped

2 PVC 4 ABS

6 Asbestos-Cement

Welded

7 Fiberglass

Threaded

SDR-26

Blank casing Diameter 5 in. to 70

ft., Dia

in. to

ft., Dia

in. to ft.

Casing height above land surface 12 in.,

weight 2.35 lbs./ft.

Wall thickness or gauge No. .214

TYPE OF SCREEN OR PERFORATION MATERIAL:

7 PVC

10 Asbestos-cement

1 Steel 3 Stainless Steel

5 Fiberglass

11 other (specify)

2 Brass 4 Galvanized steel

6 Concrete tile

12 None used (open hole)

9 ABS

SCREEN OR PERFORATION OPENING ARE:

8 Saw cut

11 None (open hole)

1 Continous slot 3 Mill slot

5 Gauzed wrapped

9 Drilled holes

2 Louvered shutter 4 Key punched

6 Wire wrapped

10 Other (specify)

SCREEN-PERFORATION INTERVALS:

7 Torch cut

from 70 ft. to 145 ft., From ft. to ft.

from ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: from 24 ft. to 145 ft., From ft. to ft.

from ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug

Grout Intervals: From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

10 Livestock pens 14 Abandon water well

1 Septic tank 4 Lateral lines

11 Fuel storage

15 Oil well/Gas well

2 Sewer lines 5 Cess pool

12 Fertilizer storage

16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit

13 Insecticide storage

Direction from well? Northwest

How many feet? 150

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 3 topsoil

3 9 clay

9 75 brown shale

75 145 grey shale

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-12-2001.....and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236.....This Water Well Record was completed on (mo/day/yr) 7-13-2001.....

Under the business name of.....Harp Well & Pump Service, Inc.....by (signature)

Todd S. Harp