

1 LOCATION OF WATER WELL:		FRACTION		Section Number		Township Number		Range Number	
Butler		NW 1/4	SW 1/4	SW 1/4	3	T 27 S	R 3E	E/W	

Distance and direction from nearest town or city street address of well if located within city?

1/4 N. of 21st N. on Charsles Rd., 2 m. W. of Santa Fe Lake Rd. Augusta, KS.

WATER WELL OWNER: POWERS, Roger
RR#, ST. ADDRESS, BOX #: 6752 Church Road
CITY, STATE, ZIP CODE: Augusta, Kansas

Board of Agriculture, Division of Water Resource

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4	DEPTH OF COMPLETED WELL		87	ft.	ELEVATION:		
	Depth(s) groundwater Encountered		1	ft.	2	ft.	3
	WELL'S STATIC WATER LEVEL		40	FT. BELOW LAND SURFACE MEASURED ON			mo/day/yr
	Pump test data:		Well water was	ft.	after	hours pumping	gpm
	Est. Yield	gpm:	Well water was	ft.	after	hours pumping	gpm
	Bore Hole Diameter	12	in.	to 87	ft.	and	in. to
	WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning	11 Injection well		
	1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)		
	2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well			

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ ; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes ☒ No ☐

5	TYPE OF CASING USED:
---	----------------------

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)	Welded
2 PVC	4 ABS	7 Fiberglass	SDR - 26	Threaded
Blank casing Diameter	5 in. to 47	ft., Dia	in. to	ft., Dia in. to ft.
Casing height above land surface	12 in.,	weight 2.35	lbs. / ft.	Wall thickness or gauge No. .214
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENING ARE:

1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)

SCREEN-PERFORATION INTERVALS:	from 47	ft. to 87	ft., From	ft. to	ft.
	from	ft. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS:	from 24	ft. to 87	ft., From	ft. to	ft.
	from	ft. to	ft., From	ft. to	ft.

6	GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other	bentonite hole plug	
Grout Intervals: From		ft. to	ft. From	ft. to	ft. From	4	ft. to 24 ft.
What is the nearest source of possible contamination:				10 Livestock pens		14 Abandon water well	
1 Septic tank		4 Lateral lines	7 Pit privy	11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	13 Insecticide storage		None Apparent	

Direction from well?

How many feet?

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-25-2001 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 9-28-2001.
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp