


LOCATION OF WATER WELL:			FRACTION			Water Well Record Form WWC-5 KSA 82a-1212		Section Number		Township Number		Range Number		
			SE 1/4	SE 1/4	SW 1/4			5	T 27 S		R 3E E/W			
Distance and direction from nearest town or city street address of well if located within city?														
1/2 m. E. of Andover Rd., N. of 21st N.						Andover, Kansas								
WATER WELL OWNER: EVANS, Forrest RR#, ST. ADDRESS, BOX #: 2211 N. Grant CITY, STATE, ZIP CODE: Andover, Kansas						Board of Agriculture, Division of Water Resource Application Number:								
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 9-7 ft. ELEVATION:			Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.			WELL'S STATIC WATER LEVEL 35 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 9-24-2002					
														
Pump test data: Well water was ft. after hours pumping gpm						Est. Yield gpm: Well water was ft. after hours pumping gpm								
Bore Hole Diameter 12 in. to 97 ft. and in. to ft.						WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted						Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS						5 Wrought iron 6 Asbestos-Cement 7 Fiberglass			8 Concrete tile 9 Other (Specify below) SDR-26			CASING JOINTS: Glued X Clamped Welded Threaded		
Blank casing Diameter 5 in. to 37 ft., Dia in. to weight 2.35 lbs./ft.						7 PVC			Wall thickness or gauge No. 10 Asbestos-cement			.214		
Casing height above land surface 12 in.,														
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 2 Brass 4 Galvanized steel						5 Fiberglass 6 Concrete tile			8 RMP (SR) 9 ABS			11 other (specify) 12 None used (open hole)		
SCREEN OR PERFORATION OPENING ARE: 1 Continous slot 3 Mill slot 2 Louvered shutter 4 Key punched						5 Gauzed wrapped 6 Wire wrapped 7 Torch cut			8 Saw cut 9 Drilled holes 10 Other (specify)			11 None (open hole)		
SCREEN-PERFORATION INTERVALS: from 37 ft. to 97 ft., From												ft. to ft.		
GRAVEL PACK INTERVALS: from 24 ft. to 97 ft., From												ft. to ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout						3 Bentonite			4 Other bentonite hole plug					
Grout Intervals: From 4 ft. to 24 ft. From						ft. to			ft. From			ft. to ft.		
What is the nearest source of possible contamination:														
1 Septic tank 4 Lateral lines						7 Pit privy			10 Livestock pens			14 Abandon water well		
2 Sewer lines 5 Cess pool						8 Sewage lagoon			11 Fuel storage			15 Oil well/Gas well		
3 Watertight sewer lines 6 Seepage pit						9 Feedyard			12 Fertilizer storage			16 Other (specify below)		
13 Insecticide storage														
Direction from well? West How many feet? 100														
FROM	TO	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS							
0	3	topsoil												
3	8	clay												
8	61	brown shale												
61	97	grey shale												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-24-2002 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 9-27-2002														
Under the business name of. Harp Well & Pump Service, Inc. by (signature) <i>Todd S. Harp</i>														