

1 LOCATION OF WATER WELL:

Fraction

NW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$

Section Number

11

Township Number

T 27 S

Range Number

R 3 NW

County: Butler
Distance and direction from nearest town or city street address of well if located within city?

3 West 3 North Augusta, KS 21st & Santa Fe like road

2 WATER WELL OWNER: Greg Parker

RR#, St. Address, Box #: 2323 N. Woodlawn Apt 703

Board of Agriculture, Division of Water Resources

City, State, ZIP Code: Wichita KS 67220

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 95 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 30 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL: 40 ft. below land surface measured on mo/day/yr 5/25/84

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield: 30 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 10 in. to ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes: No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

5 Wrought iron 8 Concrete tile CASING JOINTS Glued Clamped

1 Steel 3 RMP (SR)

6 Asbestos-Cement 9 Other (specify below)

Welded

2 PVC 4 ABS

7 Fiberglass

Threaded

Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface: 12 in., weight: 160 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel

5 Fiberglass 8 RMP (SR)

11 Other (specify)

2 Brass 4 Galvanized steel

6 Concrete tile 9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

1 Continuous slot

3 Mill slot

6 Wire wrapped

9 Drilled holes

2 Louvered shutter

4 Key punched

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From: 75 ft. to 95 ft., From: ft. to ft., From: ft. to ft.

From: ft. to ft., From: ft. to ft., From: ft. to ft.

GRAVEL PACK INTERVALS: From: 20 ft. to 95 ft., From: ft. to ft., From: ft. to ft.

From: ft. to ft., From: ft. to ft., From: ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From: 3 ft. to 20 ft., From: ft. to ft., From: ft. to ft., From: ft. to ft.

What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? West How many feet? 50+

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 3 earth

3 9 brown clay

9 13 red clay

13 21 broken lime

21 60 shaly lime

60 80 gray shale

80 97 red bed

97 115 broken yellow lime

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/25/84 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/yr) 7/16/84

under the business name of Reserve City Drills by (signature) *James F. Jackson*