

1	LOCATION OF WATER WELL: Sedgwick Butler	FRACTION <i>NW SW SW NW</i> NW 1/4 SW 1/4 SE 1/4	SECTION NUMBER 14 7	TOWNSHIP NUMBER T 27 S	RANGE NUMBER R 3 E E/W
---	----------------------------------------------------------	--------------------------------------------------------------------------------------	------------------------------------------	----------------------------------	----------------------------------

1620 Basswood	Andover, Kansas
---------------	-----------------

3	LOCATE WELL'S LOCATION	4	DEPTH OF COMPLETED WELL:	105	ft.	ELEVATION:
---	------------------------	---	--------------------------	-----	-----	------------

Depth of groundwater Encountered: ft. ft. ft.

Pump test data:	Well water was	ft. after	hours of pumping @	gpm
-----------------	----------------	-----------	--------------------	-----

Bore Hole Diameter **12** in. to **105** ft. and in. to ft.

2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well

Was a chemical/bacteriological sample submitted to Department? YES ☐ NO ☒ ; If yes, what mo/day/yr was sample submitted? YES ☐ NO ☒

1. Steel 3. RPM (SR) 5. Wrought iron 7. Fiberglass 9. Other (Specify below) **SDR 36** **Welded** **Clamped**

Blank casing diameter 5 in. to 55 ft., Dia. in. to ft., Dia. in. to ft.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	7 PVC	9 ABS	11 Other (specify)
---------	-------------------	--------------	-------	-------	--------------------

1. Steel	3. Stainless Steel	5. Fiberglass	7. PVC	9. ABS	11. Other (specify)
2. Brass	4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. Asbestos-Cement	12. None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)

2. Louvered shutter	4. Key punched	6. Wire wrapped	8. Saw cut	10. Other (specify)
---------------------	----------------	-----------------	------------	---------------------

	8. Saw cut	9. Other (specify)
SCREEN REFORMATION INTERVAL	From 55 ft to 105 ft	5

SCREEN - PERFORATION INTERVAL	From	ft.	to	ft.	From	ft.	to	ft.
	From	ft.	to	ft.	From	ft.	to	ft.

	From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL BACK INTERVALS:	From	24	ft.	to	105	ft.	From	

GRAVEL/FAC INTERVALS:	From	ft.	to	ft.	From	ft.	to	ft.
	From	ft.	to	ft.	From	ft.	to	ft.

		From	ft.	to	ft.	From	ft.	to	ft.
C	GROUT MATERIALS:								

GROUT MATERIALS.		1. Neat cement	2. Cement Grout	3. Bentonite	Other	bentonite hole plug
Grout Intervals:	From	4	ft to 24	ft	From	ft to

What is the nearest source of possible contamination:

1. Septic tank	4. Lateral lines	7. Pit privy	10. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
----------------	------------------	--------------	--------------------	-------------------------	-----------------------

2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)

3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage

Direction from well? North		How many feet? 15			
From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG

FROM	TO	ETHNOLOGIC LOG	FROM	TO	ETHNOLOGIC LOG
0	3	topsoil			

3	65	brown shale			
---	----	-------------	--	--	--

65	100	grey shale			
----	-----	------------	--	--	--

100	105	limestone			

[illegible]

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

[illegible][illegible][illegible]

Contractor's or Landowner's Certification: This water well was 1. constructed 2. **reconstructed** or 3. **plugged** under my jurisdiction and

was completed on (mo/day/year) **9/9/2003** and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. **236** This water well record was completed on (mo/day/year) **9/12/2003**

under the business name of **Harp Well & Pump Service Inc.** by (signature) J. J. S. H.

Dada J. Narp