


1 LOCATION OF WATER WELL:	Fraction 80 1/4 800 1/4 800 1/4	Section Number 19	Township Number T 27S S	Range Number R 3E E/W	
Distance and direction from nearest town or city street address of well if located within city? 138 Village Rd.; Andover					
2 WATER WELL OWNER:	Ray Rown 138 Village Rd. Andover, KS				
RR#, St. Address, Box #	Board of Agriculture, Division of Water Resources				
City, State, ZIP Code	Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 90 ft. ELEVATION: Depth(s) Groundwater Encountered 1 30 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr 4.12.04 ft. Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well				
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
5 TYPE OF BLANK CASING USED:	1 Steel 2 PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	
Blank casing diameter	5	in. to	90 ft., Dia	in. to ft., Dia in. to ft.	
Casing height above land surface	110	in., weight	100	lbs./ft. Wall thickness or guage No. 26	
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel 2 Brass	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Guazed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify) ft.	
SCREEN-PERFORATED INTERVALS:	From	80	ft. to 90	ft., From ft. to ft.	
GRATE PACK INTERVALS:	From	24	ft. to 90	ft., From ft. to ft.	
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	
Grout Intervals:	4	ft. to 24	ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well 11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
Direction from well?	South				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	17	clay			
17	27	green shale			
27	57	blue shale			
57	90	limestone			
57	90	blue shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4.12.04 and this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's Licence No	511				
under the business name of	Chase Drilling				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well					