


## WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: <b>Butler</b>	FRACTION <b>SW 1/4 SE 1/4 SW 1/4</b>	SECTION NUMBER <b>2</b>	TOWNSHIP NUMBER <b>T 27 S</b>	RANGE NUMBER <b>R 3E E/W</b>	
Distance and direction from nearest town or city street address of well if located within city? <b>2200 S.W. Tawakoni Rd.</b> <b>Towanda, Kansas</b>					
2 WATER WELL OWNER: <b>FLEMING, Bryce</b>	RR#, ST. ADDRESS, BOX #: <b>2200 S.W. Tawakoni Rd.</b>	Board of Agriculture, Division of Water Resource			
CITY, STATE: <b>Towanda, Kansas</b>	ZIP CODE:	Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  	4 DEPTH OF COMPLETED WELL: <b>100</b> ft.	ELEVATION: ft.	ft.		
Depth of groundwater Encountered:	ft.	ft.	ft.		
WELL'S STATIC WATER LEVEL Pump test data: Est. Yield: gpm	35 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Well water was ft. after hours of pumping @ gpm Well water was ft. after hours of pumping @ gpm	9/14/04			
Bore Hole Diameter <b>12</b> in.	to <b>100</b> ft. and in. to ft.	ft.			
WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. <b>Lawn and garden only</b> 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning	9. Dewatering 11. Injection well 10. Monitoring well				
Was a chemical/bacteriological sample submitted to Department? submitted	YES <b>NO</b>	12. Other (Specify below) Was Water Well Disinfected? <b>YES</b> NO			
5 TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) Casing joints: 2. <b>PVC</b> 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26	Glued Welded				Threaded Clamped
Blank casing diameter <b>5</b> in. to <b>30</b> ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface: <b>12</b> in., Weight: <b>2.35</b> lbs. / ft.	Wall thickness or gauge No. <b>.214</b>				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. <b>PVC</b> 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. <b>Saw cut</b> 10. Other (specify)					
SCREEN - PERFORATION INTERVAL From <b>30</b> ft. to <b>100</b> ft., From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <b>24</b> ft. to <b>100</b> ft., From ft. to ft., From ft. to ft.					
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other <b>bentonite hole plug</b> Grout Intervals: From <b>4</b> ft. to <b>24</b> ft., From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) 3. <b>Watertight sewer line</b> 6. Seepage pit 9. Feed yard 12. Fertilizer storage					
Direction from well? <b>Northeast</b>	How many feet? <b>100</b>				
From To LITHOLOGIC LOG	From To LITHOLOGIC LOG				
0 4 topsoil					
4 50 rock					
50 85 shale					
85 100 rock					
<b>RECEIVED</b>					
<b>OCT 04 2004</b>					
<b>BUREAU OF WATER</b>					
7 Contractor's or Landowner's Certification: This water well was 1. <b>constructed</b> 2. <b>reconstructed</b> or 3. <b>plugged</b> under my jurisdiction and was completed on (mo/day/year) <b>9/14/2004</b> and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. <b>236</b>	This water well record was completed on (mo/day/year) <b>9/17/2004</b>				
under the business name of <b>Harp Well &amp; Pump Service Inc.</b>	by (signature) <b>Todd S. Harp</b>				