


WATER WELL RECORD

Form WWC-5

KSA 82a-1212

ID No.

1	LOCATION OF WATER WELL: County: Butler	Fraction NE 1/4 SE 1/4 NE 1/4	Section Number 19	Township Number T 27 S	Range Number R 3 E	
Distance and direction from nearest town or city street address of well if located within city? 201 Bent Tree Ct, andover						
2	WATER WELL OWNER: RR#, St. Address, Box # : 201 Bent Tree Ct. City, State, ZIP Code : Andover, KS		Board of Agriculture, Division of Water Resources Application Number:			
3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 90 ft. ELEVATION: Depth(s) Groundwater Encountered 30 ft. 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well				
	Was a chemical/bacteriological sample submitted to Department? Yes No ✓; If yes, mo/day/ys sample was submitted Water Well Disinfected? Yes ✓ No					
5	TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued ✓ Clamped Welded Threaded		
	Blank casing diameter 5 in. to 90 ft., Dia in. to ft., Dia in. to ft.					
	Casing height above land surface 140 in., weight 160 lbs./ft. Wall thickness or guage No. 26					
	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 2 Brass 4 Galvanized Steel 6 Concrete tile	8 RMP (SR) 9 ABS	10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)			
	SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched	5 Guazed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify) ft.	11 None (open hole)		
	SCREEN-PERFORATED INTERVALS: From 80 ft. to 90 ft., From ft. to ft.					
	GRAVEL PACK INTERVALS: From 24 ft. to 90 ft., From ft. to ft.					
6	GROUT MATERIAL: 1 Neat cement Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft.	2 Cement grout 3 Bentonite	4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage			
	What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)				
	Direction from well? 5	How many feet? 60'				
	FROM 0 TO 2 LITHOLOGIC LOG Top Soil	FROM 2 TO 17 PLUGGING INTERVALS				
	FROM 2 TO 17 LITHOLOGIC LOG Clay	FROM 17 TO 27 PLUGGING INTERVALS				
	FROM 27 TO 51 LITHOLOGIC LOG Green Shale	FROM 51 TO 57 PLUGGING INTERVALS				
	FROM 51 TO 57 LITHOLOGIC LOG Blue Shale	FROM 57 TO 90 PLUGGING INTERVALS				
	FROM 57 TO 90 LITHOLOGIC LOG Blue Shale	FROM 90 TO PLUGGING INTERVALS				
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2.2.05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 6211 This Water Well Record was completed on (mo/day/yr) 2.24.05 under the business name of Chase Drilling by (signature) D Chase					
	INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					