

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: Butler	NE 1/4 SE 1/4 NW 1/4	7	T 27S S	R 3E E/W	
Distance and direction from nearest town or city street address of well if located within city? 1732 Juniper Ct					
2 WATER WELL OWNER: Brian Ring					
RR#, St. Address, Box # : 1732 Juniper Ct			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Andover, KS			Application Number:		
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 118 ft. ELEVATION:					
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1 20 ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		WELL WATER TO BE USED AS:			
1 Domestic 3 Feedlot		5 Public water supply 8 Air conditioning 11 Injection well			
2 Irrigation 4 Industrial		6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded	
Blank casing diameter in. to 118 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 16 in., weight 160 lbs./ft. Wall thickness or gauge No. 26					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel		5 Fiberglass 8 RMP (SR)		10 Asbestos-Cement	
2 Brass 4 Galvanized Steel		6 Concrete tile 9 ABS		11 Other (Specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut		11 None (open hole)	
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut 10 Other (specify) ft.			
SCREEN-PERFORATED INTERVALS: From 80 ft. to 118 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 25 ft. to 118 ft., From ft. to ft.					
6 GROUT MATERIAL:					
1 Neat cement 2 Cement grout		3 Bentonite 4 Other			
Grout Intervals: From 4 ft. to 25 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines		7 Pit privy 10 Livestock pens		14 Abandoned water well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon 11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard 12 Fertilizer storage		16 Other (specify below)	
		13 Insecticide storage			
Direction from well? Southeast		How many feet? 70			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	18	clay			
18	26	green shale			
26	31	blue shale			
31	37	limestone			
37	66	blue shale			
66	90	limestone			
90	118	blue shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-26-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 611 This Water Well Record was completed on (mo/day/yr) 4-22-05 under the business name of Chase Drilling by (signature) R. Chase					