


1 LOCATION OF WATER WELL:	Fraction County: Butler	NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$	Section Number 7	Township Number T 27 S	Range Number R 30 E
Distance and direction from nearest town or city street address of well if located within city? 1709 Hawthorne Ct, Andover					
2 WATER WELL OWNER:	Brian Ness				
RR#, St. Address, Box #	1709 Hawthorne Ct				
City, State, ZIP Code	ANDOVER, KS				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 90 ft. ELEVATION:  Depth(s) Groundwater Encountered 34 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 34 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes ✓ No				
5 TYPE OF BLANK CASING USED:	1 Steel 2 PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued ✓ Clamped Welded Threaded
Blank casing diameter	5	in. to	90 ft., Dia	in. to	ft., Dia in. to ft.
Casing height above land surface	10	in., weight	100	lbs./ft. Wall thickness or guage No.	20
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel 2 Brass	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Guazed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole) ft.
SCREEN-PERFORATED INTERVALS:	From	50	ft. to 90	ft., From	ft. to ft.
GRAVEL PACK INTERVALS:	From	24	ft. to 90	ft., From	ft. to ft.
6 GROUT MATERIAL:	1 Neat cement Grout Intervals: From	4 24	2 Cement grout ft. to	3 Bentonite ft. to	4 Other ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank 2 Sewer lines 3 Watertight sewer lines	4 Lateral lines 5 Cess pool 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Direction from well?	NORTH				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	TOP SOIL			
2	26	Clay			
26	41	Green Shale			
41	90	Blue Shale			
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/25/05 and this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's Licence No	1011 This Water Well Record was completed on (mo/day/yr) 8/15/05				
under the business name of	Chase Drilling by (signature) D. Chase				