

1 LOCATION OF WATER WELL:	FRACTION				Section Number	Township Number	Range Number
Butler		SW 1/4	NE 1/4	NW 1/4	19	T 27 S	R 3E EW
Distance and direction from nearest town or city street address of well if located within city?							
344 Oakmont Ct.				Andover, Kansas			
WATER WELL OWNER: WRIGHT, Mike				Board of Agriculture, Division of Water Resource			
RR#, ST. ADDRESS, BOX #: 344 Oakmont Ct.				Application Number:			
CITY, STATE, ZIP CODE : Andover, Kansas							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
4 DEPTH OF COMPLETED WELL 107 ft. ELEVATION:							
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.				ft. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/1998			
WELL'S STATIC WATER LEVEL 40 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 03/02/1998							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield	gpm:	Well water was	ft. after	hours pumping	gpm		
Bore Hole Diameter	12 in.	to 107 ft.	and	in. to	ft.		
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				12 Other (Specify below)			
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering				
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes				No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was			
submitted				Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
5 TYPE OF CASING USED:				CASING JOINTS:			Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile				Welded
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (Specify below)				Threaded
Blank casing Diameter	5 in. to 40	ft., Dia	in. to	ft., Dia	in. to	ft.	
Casing height above land surface	12 in.	weight 2.35	lbs. / ft.	7 PVC	10 Asbestos-cement	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (specify)			
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)			
SCREEN OR PERFORATION OPENING ARE:							
1 Continous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes				
7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVALS: from 40 ft. to 107 ft., From ft. to ft.							
from ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: from 24 ft. to 107 ft., From ft. to ft.							
from ft. to ft., From ft. to ft.							
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grout Intervals:	From 4 ft. to 24	ft. From	ft. to	ft. From	ft. to	ft. to	ft.
What is the nearest source of possible contamination:							
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandon water well			
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)			
13 Insecticide storage							
Direction from well? South How many feet? 65							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	3	topsoil					
3	21	clay					
21	107	gray shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03/02/1998 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236. This Water Well Record was completed on (mo/day/yr) 03/04/98. Under the business name of Harp Well & Pump Service, Inc. by (signature)							
Todd S. Harp							