

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Butler		Fraction SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$		Section Number 33	Township Number T 27 6	Range Number R 3 EW																																																												
Distance and direction from nearest town or city street address of well if located within city? 14848 SW 120th, Andover, KS 67002				Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: _____ Longitude: _____ Elevation: _____ Datum: _____ Data Collection Method: _____																																																														
2 WATER WELL OWNER: Morgan Property RR#, St. Address, Box # 14848 SW 120th City, State, ZIP Code Andover, KS 67002																																																																		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N <table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"><tr><td> </td><td> </td><td> </td></tr><tr><td>--NW--</td><td>--NE--</td><td> </td></tr><tr><td>W</td><td> </td><td>E</td></tr><tr><td>--SW--</td><td>--SE--</td><td> </td></tr><tr><td>X</td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table> S					--NW--	--NE--		W		E	--SW--	--SE--		X						4 DEPTH OF COMPLETED WELL 167' ft. Depth(s) Groundwater Encountered (1) _____ ft. (2) _____ ft. (3) _____ ft. WELL'S STATIC WATER LEVEL 113 ft. below land surface measured on mo/day/yr _____ Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) _____ 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, mo/day/yr _____ Sample was submitted _____ Water well disinfected? Yes _____ No X																																														
--NW--	--NE--																																																																	
W		E																																																																
--SW--	--SE--																																																																	
X																																																																		
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) _____ Welded _____ Blank casing diameter 2" in. to 147' ft., Diameter _____ in. to _____ ft., Diameter _____ in. to _____ ft. Casing height above land surface _____ in., Weight _____ lbs./ft. Wall thickness or gauge No. SCH40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) _____ 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) _____ SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) _____ 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 167' ft. to 147' ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 167' ft. to 145' ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.																																																																		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Cement Grout Intervals: From 145' ft. to 0' ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) _____ 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well _____ 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well _____ Direction from well? _____ How many feet? _____																																																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0'</td> <td>5'</td> <td>Drk. Brn Top Soil to Olive Clay</td> <td>0</td> <td>20.5'</td> <td>HSA Drilling (Refusal)</td> </tr> <tr> <td>5'</td> <td>20'</td> <td>Olive Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20'</td> <td>20.5'</td> <td>Olive Clay to Gray Shale (NOTE - 0 TO 20.5 HSA DRILLING (REFUSAL))</td> <td>20.5'</td> <td>167</td> <td>Air Drilling</td> </tr> <tr> <td>20.5'</td> <td>100'</td> <td>Gray Shale Dry</td> <td></td> <td></td> <td></td> </tr> <tr> <td>100'</td> <td>120'</td> <td>Begin mix gray & brown shale</td> <td></td> <td></td> <td>B-2A</td> </tr> <tr> <td>120'</td> <td>175'</td> <td>Rose & Gray Shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>(NOTE: 20.5' TO 167' AIR DRILLING)</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0'	5'	Drk. Brn Top Soil to Olive Clay	0	20.5'	HSA Drilling (Refusal)	5'	20'	Olive Clay				20'	20.5'	Olive Clay to Gray Shale (NOTE - 0 TO 20.5 HSA DRILLING (REFUSAL))	20.5'	167	Air Drilling	20.5'	100'	Gray Shale Dry				100'	120'	Begin mix gray & brown shale			B-2A	120'	175'	Rose & Gray Shale						(NOTE: 20.5' TO 167' AIR DRILLING)															
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																													
0'	5'	Drk. Brn Top Soil to Olive Clay	0	20.5'	HSA Drilling (Refusal)																																																													
5'	20'	Olive Clay																																																																
20'	20.5'	Olive Clay to Gray Shale (NOTE - 0 TO 20.5 HSA DRILLING (REFUSAL))	20.5'	167	Air Drilling																																																													
20.5'	100'	Gray Shale Dry																																																																
100'	120'	Begin mix gray & brown shale			B-2A																																																													
120'	175'	Rose & Gray Shale																																																																
		(NOTE: 20.5' TO 167' AIR DRILLING)																																																																
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/1/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) 11/26/07 under the business name of Pratt Well Service, Inc. by (signature) <i>Steven E. Pratt</i> INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells .																																																																		