


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1	LOCATION OF WATER WELL: Butler	FRACTION SW 1/4 SE 1/4 SE 1/4	SECTION NUMBER 30	TOWNSHIP NUMBER T 27 S	RANGE NUMBER R 3E E/W
Distance and direction from nearest town or city street address of well if located within city? 508 W. Harry Andover, Kansas					
2	WATER WELL OWNER: BAKER, Pam	RR#, ST. ADDRESS, BOX #: 508 W. Harry	Board of Agriculture, Division of Water Resource		
	CITY, STATE: Andover, Kansas	ZIP CODE:	Application Number:		
3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: 63 ft.	ELEVATION: _____ ft.		
	Depth of groundwater Encountered: _____ ft.	WELL'S STATIC WATER LEVEL: 18 FT. BELOW LAND SURFACE MEASURED ON 8/24/11 mo/day/yr.			ft.
	Pump test data: Well water was _____ ft. after pumping _____ gpm	Est. Yield: gpm	Well water was _____ ft. after pumping _____ gpm	hours of pumping @ _____ gpm	
	Bore Hole Diameter 12 in. to 63 ft. and in. to ft.				
	WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning	9. Dewatering 11. Injection well 12. Other (Specify below)			
	Was a chemical/bacteriological sample submitted to Department? YES NO Was Water Well Disinfected? YES NO	10. Monitoring well ; If yes, what mo/day/yr was sample			
5	TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) Casing joints: Glued 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26 Welded Threaded Blank casing diameter 5 in. to 24 ft., Dia. in. to ft., Dia. in. to ft.				Clamped
	Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft.				Wall thickness or gauge No. .214
	TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)				
	SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)				
	SCREEN - PERFORATION INTERVAL From 23 ft. to 63 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.				
	GRAVEL PACK INTERVALS: From 25 ft. to 63 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.				
6	GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From 4 ft. to 24 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.				
	What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) 3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage				
	Direction from well? Northwest How many feet? 10 ft. plus				
	From To LITHOLOGIC LOG From To LITHOLOGIC LOG				
	0 3 topsoil				
	3 10 clay				
	10 20 brown shale				
	20 63 gray shale				
7	Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 8/24/2011 and this record is true to the best of my knowledge and belief.				
	Kansas Water Well Contractor's License No. 236	This water well record was completed on (mo/day/year) 8/26/2011			
	under the business name of Harp Well and Pump Service	by (signature) 